



**United Nations
Environment
Programme**

Distr.
LIMITED

UNEP/OzL.Pro/ExCom/38/37
28 October 2002



ORIGINAL: ENGLISH

EXECUTIVE COMMITTEE OF
THE MULTILATERAL FUND FOR THE
IMPLEMENTATION OF THE MONTREAL PROTOCOL
Thirty-eighth Meeting
Rome, 20-22 November 2002

PROJECT PROPOSALS: IRAN

This document consists of the comments and recommendations of the Fund Secretariat on the following project proposals:

Refrigeration

- Conversion from CFC-11 to HCFC-141b technology and from CFC-12 to HFC-134a technology in the manufacture of commercial refrigeration equipment at Ali Felez Co. UNDP
- Conversion from CFC-11 to HCFC-141b technology and from CFC-12 to HFC-134a technology in the manufacture of commercial and industrial refrigeration equipment at Nik Boroudati & Hararati Co. UNDP
- Conversion from CFC-11 to HCFC-141b technology and from CFC-12 to HFC-134a technology in the manufacture of commercial refrigeration equipment at Nik Sard Co. UNDP
- Conversion from CFC-11 to HCFC-141b technology and from CFC-12 to HFC-134a technology in the manufacture of commercial refrigeration equipment and rigid foam at Ouj Bouran Co. UNDP
- Conversion from CFC-11 to HCFC-141b technology and from CFC-12 to HFC-134a technology in the manufacture of commercial refrigeration equipment at two enterprises (Sanaye Boroudati Pajang and Yakhchalsazi Azizian) UNDP

- Phasing out CFC-11 by conversion to HCFC-141b and CFC-12 to HFC-134a technology in the manufacture of commercial refrigeration equipment at the First Medium Size Umbrella Group of Iranian Commercial Refrigeration Manufacturers UNIDO
- Conversion from CFC-11 to HCFC-141b technology and from CFC-12 to HFC-134a technology in the manufacture of domestic refrigerators at Niksun Sanaat Co. UNDP
- Phasing out CFC-11 by conversion to HCFC-141b and CFC-12 to HFC-134a technology in the manufacture of domestic refrigeration equipment at the First Medium Size Umbrella Group of Iranian Domestic Refrigeration Manufacturers UNIDO
- Phasing out CFC-11 by conversion to HCFC-141b and CFC-12 to HFC-134a technology in the manufacture of domestic and commercial refrigeration equipment at the Second Medium Size Umbrella Group of Iranian Domestic and Commercial Refrigeration Manufacturers UNIDO
- Sector phase-out plan for CFCs in the refrigeration (manufacturing) sector UNDP
- Refrigerant management plan to phase out the use of ODS in the refrigeration-servicing sector (includes: training in good refrigerant management practices, training of customs officers, and recovery and recycling programme) first tranche UNIDO

PROJECT EVALUATION SHEET IRAN

SECTOR: Refrigeration ODS use in sector (2001): 2,681.1 ODP tonnes

Sub-sector cost-effectiveness thresholds: Commercial US \$15.21/kg

Project Titles:

- (a) Conversion from CFC-11 to HCFC-141b technology and from CFC-12 to HFC-134a technology in the manufacture of commercial refrigeration equipment at Ali Felez Co.
- (b) Conversion from CFC-11 to HCFC-141b technology and from CFC-12 to HFC-134a technology in the manufacture of commercial and industrial refrigeration equipment at Nik Boroudati & Hararati Co.
- (c) Conversion from CFC-11 to HCFC-141b technology and from CFC-12 to HFC-134a technology in the manufacture of commercial refrigeration equipment at Nik Sard Co.
- (d) Conversion from CFC-11 to HCFC-141b technology and from CFC-12 to HFC-134a technology in the manufacture of commercial refrigeration equipment and rigid foam at Ouj Bouran Co.
- (e) Conversion from CFC-11 to HCFC-141b technology and from CFC-12 to HFC-134a technology in the manufacture of commercial refrigeration equipment at two enterprises (Sanaye Boroudati Pajang and Yakhchalsazi Azizian)
- (f) Phasing out CFC-11 by conversion to HCFC-141b and CFC-12 to HFC-134a technology in the manufacture of commercial refrigeration equipment at the First Medium Size Umbrella Group of Iranian Commercial Refrigeration Manufacturers

Project Data	Commercial					
	Ali Felez	Nik Bouroudati	Nik Sard	Ouj Bouran	Two enterprises	First medium size
Enterprise consumption (ODP tonnes)	8.62	26.75	15.06	12.79	9.78	53.85
Project impact (ODP tonnes)	8.14	25.12	14.35	12.00	9.27	51.60
Project duration (months)	30	30	30	30	30	24
Initial amount requested (US \$)	97,726	268,158	186,687	111,747	136,026	741,925
Final project cost (US \$):						
Incremental capital cost (a)	109,500	202,000	118,000	115,000	223,000	586,000
Contingency cost (b)	10,950	20,200	11,800	11,500	22,300	40,100
Incremental operating cost (c)	36,499	91,622	67,263	27,375	53,541	115,825
Total project cost (a+b+c)	156,949	313,822	197,063	153,875	298,841	741,925
Local ownership (%)	100%	100%	100%	100%	100%	100%
Export component (%)	0%	0%	0%	0%	0%	0%
Amount requested (US \$)	97,726	268,158	186,687	111,747	136,026	741,925
Cost effectiveness (US \$/kg.)	12.01	10.68	13.01	9.31	14.67	14.38
Counterpart funding confirmed?		Yes	Yes	Yes	Yes	Yes
National coordinating agency		Department of Environment				
Implementing agency	UNDP	UNDP	UNDP	UNDP	UNDP	UNIDO

Secretariat's Recommendations						
Amount recommended (US \$)						
Project impact (ODP tonnes)						
Cost effectiveness (US \$/kg)						
Implementing agency support cost (US \$)						
Total cost to Multilateral Fund (US \$)						

**PROJECT EVALUATION SHEET
IRAN**

SECTOR: Refrigeration ODS use in sector (2001): 2,681.1 ODP tonnes

Sub-sector cost-effectiveness thresholds: Commercial US \$15.21/kg
Domestic US \$13.76/kg

Project Titles:

- (g) Conversion from CFC-11 to HCFC-141b technology and from CFC-12 to HFC-134a technology in the manufacture of domestic refrigerators at Niksun Sanaat Co.
- (h) Phasing out CFC-11 by conversion to HCFC-141b and CFC-12 to HFC-134a technology in the manufacture of domestic refrigeration equipment at the First Medium Size Umbrella Group of Iranian Domestic Refrigeration Manufacturers
- (i) Phasing out CFC-11 by conversion to HCFC-141b and CFC-12 to HFC-134a technology in the manufacture of domestic and commercial refrigeration equipment at the Second Medium Size Umbrella Group of Iranian Domestic and Commercial Refrigeration Manufacturers
- (j) Sector phase-out plan for CFCs in the refrigeration (manufacturing) sector

Project Data	Domestic		Domestic/commercial	Multiple-subsectors
	Niksun Sanaat Co.	First Medium size	Second medium size	Sector phase-out plan
Enterprise consumption (ODP tonnes)	16.19	48.95	50.96	389
Project impact (ODP tonnes)	15.21	47.05	48.87	372
Project duration (months)	30	24	24	48
Initial amount requested (US \$)	161,517	541,745	604,493	2,500,000
Final project cost (US \$):				
Incremental capital cost (a)	118,000	419,000	480,000	4,227,000
Contingency cost (b)	11,800	30,600	30,700	384,200
Incremental operating cost (c)	31,717	92,145	93,793	350,236
Total project cost (a+b+c)	161,517	541,745	604,493	4,961,436
Local ownership (%)	100%	100%	100%	100%
Export component (%)	0%	0%	0%	0%
Amount requested (US \$)	161,517	541,745	604,493	2,500,000
Cost effectiveness (US \$/kg.)	10.62	11.51	12.55	13.35
Counterpart funding confirmed?	Yes	Yes	Yes	Yes
National coordinating agency		Department of Environment		
Implementing agency	UNDP	UNIDO	UNIDO	UNDP

Secretariat's Recommendations				
Amount recommended (US \$)				
Project impact (ODP tonnes)				
Cost effectiveness (US \$/kg)				
Implementing agency support cost (US \$)				
Total cost to Multilateral Fund (US \$)				

**PROJECT EVALUATION SHEET
IRAN**

SECTOR: Refrigeration servicing ODS use in sector (2000): 475 ODP tonnes
(excluding MAC)

Sub-sector cost-effectiveness thresholds: n/a

Project Title:

(k) Refrigerant management plan to phase out the use of ODS in the refrigeration-servicing sector (includes: training in good refrigerant management practices, training of customs officers, and recovery and recycling programme) first tranche

Project Data	Refrigerant management plan
	RMP
Enterprise consumption (ODP tonnes)	475.00
Project impact (ODP tonnes)	403.70
Project duration (months)	48
Initial amount requested (US \$)	250,000
Final project cost (US \$):	
Incremental capital cost (a)	5,729,098
Contingency cost (b)	
Incremental operating cost (c)	
Total project cost (a+b+c)	5,729,098
Local ownership (%)	100%
Export component (%)	0%
Amount requested (US \$)	250,000
Cost effectiveness (US \$/kg.)	14.14
Counterpart funding confirmed?	
National coordinating agency	Department of the Environment
Implementing agency	UNIDO

Secretariat's Recommendations	
Amount recommended (US \$)	
Project impact (ODP tonnes)	
Cost effectiveness (US \$/kg)	
Implementing agency support cost (US \$)	
Total cost to Multilateral Fund (US \$)	

PROJECT DESCRIPTION

Sector background

CFC (Annex A Group I) Consumption and Phase-out Profile

According to Decision 35/37 Iran has selected Option 2 as Starting Point amounting to: **2,511.5 ODP tonnes**

- Remaining consumption of CFCs eligible for funding as at 38th Meeting (per Decision 35/57, proviso B) 1,708.1 ODP tonnes
- Impact of ALL CFC projects submitted for funding at the 38th Meeting 1,106.9 ODP tonnes
- Remaining consumption of CFCs eligible for funding following approval of projects submitted to 38th Meeting 601.2 ODP tonnes

Refrigeration Sector Profile

- Consumption of CFCs reported for the refrigeration sector in 2001* 2,681.1 ODP tonnes
- Amount of CFCs to be phased out in on-going refrigeration projects 977.5 ODP tonnes
- Impact of refrigeration projects submitted for funding at the 38th Meeting on remaining CFC consumption 1,106.9 ODP tonnes

* Based on data reported to the Fund Secretariat

1. The Executive Committee has approved 86 investment projects to phase out 2,720.4 ODP tonnes of CFC used in the manufacture of domestic and commercial refrigerators. About US \$31 million has been allocated for the implementation of these projects. The 2001 ODS consumption data in the refrigeration sector was provided in the country programme progress report as 2,681.08 ODP tonnes. ODS consumption in the approved but not implemented projects amounts to 977.5 ODP tonnes resulting in a remaining consumption of 1703.6 ODP tonnes in the sector.

2. The Government of Iran reported its CFC consumption in the refrigeration sector in the period from 1996 as follows:

Year	1996	1997	1998	1999	2000	2001
ODP tonnes	1,070	3,045	2695	1,945	2,632	2,590

3. UNDP and UNIDO have submitted 5 individual and 4 umbrella projects to phase out CFC consumption in domestic and commercial refrigeration sectors in Iran. Additionally, UNDP submitted a sector phase-out plan for CFCs in the refrigeration (manufacturing) sector to address all the remaining enterprises in the sector. The total amount of requested funding is US \$5,350,024, and the total impact of these projects is 603.61 ODP tonnes.

4. The enterprises employ low and high-pressure dispensers for foaming operations. The enterprises carry out refrigerant related operations using vacuum pumps, charging machines and leak detectors in the baseline.

5. The phase out of CFC-11 and CFC-12 will be achieved by converting CFC-11 based technology to HCFC-141b as the foam blowing agent and CFC-12 to HFC-134a as the refrigerant. The existing foaming machines will be replaced or retrofitted depending on the baseline. All the enterprises will require replacement or retrofit of industrial or portable charging units, vacuum pumps and leak detectors suitable for HFC-134a duty. Other costs include re-design, testing, trials and training. Incremental costs are requested by the enterprises reflecting higher cost of chemicals and components.

Justification for the use of HCFC-141b

6. Justification for the use of HCFC-141b based on technological and economic analysis of each enterprise's operations is provided in the project document. UNDP and UNIDO indicated that the choice of HCFC-141b as interim technology was made by the enterprises following a discussion with them on available alternatives and relevant decisions of the Executive Committee regarding the use of HCFC-141b as interim substitute foam blowing agent.

7. In accordance with relevant decisions of the Executive Committee on the use of HCFCs, a letter of transmittal from the Government of Iran endorsing the use of HCF-141b by the companies has been submitted and is attached.

Refrigerant management plan to phase out the use of ODS in the refrigeration-servicing sector (includes: training in good refrigerant management practices, training of customs officers, and recovery and recycling programme) first tranche

Refrigeration servicing sector

8. In 2000, the total amount of CFCs used in Iran for servicing refrigeration equipment was 475 tonnes, excluding MAC units. It is reported in the RMP that about 85 per cent of the CFC consumption is vented into the atmosphere due to poor service practices and lack of service tools. The CFC-based refrigeration equipment annually serviced in Iran consists of:

- (a) 1.6 million domestic refrigerators (8 per cent of the total units) with a total consumption of 400 tonnes (an average of 0.25 kg CFC per service);
- (b) 80,000 commercial refrigerator units (20 per cent of the total units);

- (c) 1,500 industrial and large cold store units (representing the total units in the country) are recharged twice a year with an estimated consumption of 300 tonnes; it is estimated that in each service about 30 per cent of the refrigerant used is vented;
- (d) 400 refrigerated trucks serviced twice a year, with a total consumption of 4 tonnes of CFC-12.

9. There are approximately 8,000 registered refrigeration service workshops and 2,000 service workshops that are not officially registered. The total 10,000 service workshops employ approximately 25,000 skilled and non-skilled technicians. In addition, there are 2,000 MAC service workshops which employ 4,000 technicians.

10. Of these employees, it is estimated that 5,000 have received basic training on refrigeration and air-conditioning. The rest of the technicians have gained their skills through on-the-job training or through short courses provided by vocational training centres. Most of the workshops are small in size and employ 2 to 4 people. About 90 per cent of them do not have vacuum pumps or leak detectors.

11. The current maintenance standards of refrigeration equipment are generally poor. When servicing the equipment, the actual amount of refrigerant used is 2 to 3 times the charge of the equipment; refrigerant is commonly used for cleaning and system flushing. The refrigeration plant installed throughout the country are in relatively poor condition, particularly in the industrial and commercial refrigeration sub-sectors. Maintenance standards are generally low and refrigerant leakage is common.

12. The Ozone Unit will develop and implement the following control measures:

- (a) Increase import duties or taxes on ODSs in case the planned (reduced) consumption figures are not reached;
- (b) Support manufacturing and service businesses regarding permits required for activities phasing out ODSs;
- (c) Introduce a licensing system for refrigeration and air conditioning servicing operators in order to enhance better working practices;
- (d) Support training and publicity campaigns using the public media, and encourage the different branches of public administration to co-operate in the ODS phase out plan;
- (e) Encourage the participation of voluntary organisations and citizen groups to support the training programmes.

13. The RMP project includes the following components:

- (a) Training programme in good practices in refrigeration, at a total cost of US \$1,138,608;

- (b) Training programme for customs officers on control of ODS and ODS-based equipment imports, at a cost of US \$229,200; and
- (c) Recovery and recycling programme (excluding the MAC sub-sector) at a cost of US \$4,361.290.

14. Implementation of the RMP will result in phase out of 405 ODS tonnes of CFCs; the remaining consumption (75 tonnes) will be phased out by the end of 2010 by implementing regulatory measures and through scrapping old CFC-based equipment. The cost-effectiveness of the RMP project is US \$14.14/kg.

15. The RMP project was submitted through an official letter signed by the Ozone Officer of Iran. Iran has committed to achieve, without further requests for funding for the RMP, at least a 50 per cent reduction step in 2005 and a 85 per cent reduction step in 2007 for the current level of servicing sub-sector consumption (475 tonnes).

SECRETARIAT'S COMMENTS AND RECOMMENDATIONS

COMMENTS

Data discrepancy

16. The proposals by UNDP and UNIDO (excluding RMP) were submitted for consideration at the 37th Meeting of the Executive Committee. The Secretariat identified the issue of discrepancy in ODS consumption data in the refrigeration sector. Subsequently, all the proposals were withdrawn. Since then, the Secretariat has been conducting extensive discussions with UNDP, UNIDO and the Government of the Islamic Republic of Iran in attempting to resolve the issue. Unfortunately, the issue still remains unresolved at this time. The proposals have been re-submitted to the 38th Meeting. Additionally, an RMP for Iran has been submitted by UNIDO.

17. The history of discussions on CFC consumption data in the refrigeration sector in the Islamic Republic of Iran dates back to December 2000. Fourteen domestic and commercial refrigeration projects were submitted for consideration at the 32nd Meeting of the Executive Committee. Several issues were raised related to the list of remaining refrigeration enterprises in Iran, reliability of data on ODS consumption in the refrigeration sector and the need for evidence of a clear commitment to phase out ODP. The projects were deferred to the 34th Meeting of the Executive Committee (Decision 32/65).

18. In response to Decision 32/65 the Secretariat reported to the 34th Meeting of the Executive Committee that after extensive consultations with the Government of Iran, UNDP and UNIDO reliable figures for ODS consumption in the refrigeration sector in Iran were established. 1999 CFC consumption in the sector (1,920 ODP tonnes), including manufacturing and servicing was taken as a basis for calculating the remaining fundable consumption in 2000 and was determined to be 1,252 ODP tonnes, including 805.11 ODP tonnes for manufacturing and 446.89 ODP tonnes for servicing and SMEs. The Government of Iran provided an updated list

of remaining enterprises indicating their production levels and ODS consumption to the Secretariat. The Government of Iran also confirmed its commitment to comply with the ODP phase-out schedule and requirements of the Montreal Protocol and provided a list of specific actions on the part of the Government to support these commitments. The letter of the Government of Iran of 19 May 2001 in this respect is available in the Secretariat.

19. This information was provided to the 34th Meeting of the Executive Committee in response to Decision 32/65. The Executive Committee approved 14 projects deferred from the 32nd Meeting and 14 new projects in the refrigeration sector were submitted by UNDP and UNIDO with a total phase out of 476.6 ODP tonnes. The remaining fundable consumption stood at the level of 328.4 ODP tonnes for manufacturing and 446.89 for servicing and SMEs.

20. Immediately following receipt of the 19 May 2001 letter establishing the remaining consumption, the Secretariat received a report on implementation of the Iran country programme from National Ozone Unit (NOU) of Iran, including ODS consumption data for the year 2000. The total CFC consumption was reported to be 4,164.53 ODP tonnes. CFC consumption in the refrigeration sector was 2,634.53 ODP tonnes or 714 ODP higher than the level of consumption provided in the above mentioned letter. The Secretariat drew attention of the NOU to this discrepancy and requested clarifications on this issue. The Secretariat did not receive a response from the NOU at that time. As it was identified later, the NOU reported the same revised CFC consumption data to the Ozone Secretariat.

21. Twenty two projects were submitted by UNDP and UNIDO to the 35th Meeting of the Executive Committee for the phase out of 273 ODP tonnes. The Secretariat informed the Executive Committee in its evaluation document that on the basis of the remaining consumption confirmed in the 19 May 2001 letter, the approval of submitted proposals would bring the balance of remaining consumption in the refrigeration sector in Iran to 503 ODP tonnes, comprising 56 ODP tonnes in the manufacturing and about 447 ODP tonnes in the servicing and SME sector.

22. UNDP and UNIDO submitted project proposals to the 38th Meeting with 1,078.61 ODP tonnes to be phased out. Additionally, and as provided in the 2001 country programme progress report 350 ODP tonnes of CFC-12 consumption will be claimed under a MAC servicing sub-sector project, to be submitted at a future meeting. This is the first time Iran is reporting consumption in the MAC sector.

23. The Secretariat has sought explanations from UNDP, UNIDO and the Government of Iran on the discrepancy in CFC consumption data. The NOU of Iran communicated to the Secretariat that new surveys have provided more accurate CFC consumption data, and attached a revised list of remaining enterprises in the refrigeration sector manufacture. It responded further that “ While the level of consumption in 1999 (of 1,920 MT) in the refrigeration sector was agreed between the Government of Iran and the MLF Secretariat (subject to the provisions of Para 6 of the 19 May 2001 letter), the data reporting for 2002 and 2001 by Iran Ozone Office reflects the actual consumption in the sector. Consistent with ExCom Decision 35/57, Iran has selected Option 2 for determining the starting point for implementation of its national aggregate consumption, and in remaining consumption over the various sectors, and that 1,075 MT was assigned to the refrigeration sector (excluding MAC). It is therefore requested that the MLF

Secretariat proceed to review the individual and group projects submitted by UNDP and UNIDO to the 38th ExCom Meeting. All these submissions were covered under the 1,075 MT distributed to the refrigeration sector.”

24. The Executive Committee may wish to consider whether the proposals in the refrigeration sector in Iran submitted by UNDP and UNIDO are eligible for funding in view of the undertakings given by Iran on 19 May 2001. In its deliberations on this issue the Executive Committee may wish to take note of Provision B to Decision 35/57 “It is further noted that the resulting numbers represent maximum residual ODS that the Fund will pay to reduce, and that existing Fund guidance related to eligibility of projects would be maintained in all respects”.

The revised list of enterprises remaining in the refrigeration sector

25. The Secretariat has reviewed the new list of enterprises and identified some discrepancies in the total number of enterprises that were included in the list. Additionally, the revised list indicates that only 21 enterprises were identified to be established after 25 July 1995. However, a larger number (87) of enterprises established after 25 July 1995, was reported by UNIDO in its communication to the Secretariat in March 1999.

Incremental capital and operating costs

26. The Secretariat reviewed the proposals and identified several issues associated with the costs of requested equipment. Incremental operating costs are requested in the sector phase-out plan for CFCs in the refrigeration (manufacturing) sector at the level of US \$350,236. Many enterprises included in the sector plan have very small levels of CFC consumption. Production figures are not provided in the sector plan. The Executive Committee has made provisions in Decision 25/50 for circumstances in which there are significant number of small enterprises and detailed information on the structure of the refrigeration sector is not available. Taking into consideration the lack of information on the production and the distribution of the products manufactured by the enterprises, and composition of the pre-blended polyol used, Decision 25/50, in particular, part (d) (items from (i) to (v)), has been applied.

27. Additionally, enterprise consumption cannot be established for a three-year period through the use production and consumption records. It may be impractical to identify likely levels of production (and thus consumption) in future years because there are no production lines installed at those enterprises where products are being assembled at the individual unit basis. It appears that many enterprises listed fall under the sub-sector for assembly, installation and charging of refrigeration equipment according to the guidelines approved by Decision 31/45. On the basis of the above, the Secretariat advised UNDP that no incremental operating costs are eligible for funding in the Sector Plan for Iran.

28. The Secretariat is still discussing issues associated with incremental capital and operating costs with UNDP and UNIDO. The Sub-Committee on project review will be informed accordingly.

Refrigerant management plan to phase out the use of ODS in the refrigeration-servicing sector (includes: training in good refrigerant management practices, training of customs officers, and recovery and recycling programme) first tranche

29. The Secretariat reviewed the RMP project proposal taking into account that the total CFC consumption in the refrigeration sector in Iran which has not been addressed by Multilateral Fund assisted projects amounts to 55.5 tonnes in the manufacturing sub-sector and 446.9 tonnes in the servicing sector. These amounts were reported on 14 May 2001 to the Fund Secretariat through an official communication by the Deputy Head of Department for Human Environment Affair. On the basis of the data submitted by the Government of Iran, the Executive Committee was able to approve at its 34th and 35th Meetings US \$11.82 million (including agency's support cost) for funding of 55 investment projects in the foam and refrigeration sectors in Iran.

30. The Secretariat informed UNIDO that the review of the RMP project can only proceed on the basis that the total remaining consumption eligible for funding in refrigeration servicing, is 446.9 ODP tonnes.

31. As submitted, the RMP will phase out 85 per cent of the total consumption in the refrigeration-servicing sector in Iran by 2007, excluding the MAC sub-sector. In this regard, the Secretariat pointed out that at its 37th Meeting, the Executive Committee decided that for RMPs in non-LVC countries, interim steps should not be used in performance agreements unless the use of CFCs for manufacturing had been completely phased out, and that the agreement should result in complete phase-out as if it were part of a national CFC phase-out plan or a sector plan (Decision 37/19). Therefore, the RMP project proposal should be revised to address the entire CFC consumption in the servicing sector, including the amount of CFC-12 used for servicing MAC units.

32. The Secretariat sought a clarification from UNIDO on the basis for estimating the amount of CFC used in the servicing sector in Iran (at 475 tonnes). In this regard, UNIDO indicated that based on the survey conducted for the preparation of the RMP project, the current CFC consumption in the servicing sector amounts to 750 tonnes; however, according to the letter submitted by the Government of Iran referred to above, the remaining CFC consumption in the servicing sector is about 450 tonnes.

33. The Secretariat indicated that in January 1997, non-CFC-based refrigeration started to be manufactured in Iran. In 1999, production of non-CFC domestic refrigeration appliances was about 1.4 million units. Since then, non-CFC equipment has been increasingly produced in the country and, concurrently, the population of CFC-based equipment has been diminishing. On the basis of an average lifetime of the equipment of 10 to 15 years, the annual reduction in the population of refrigerators would be 7 to 10 per cent; therefore, the 2002 consumption in the servicing sector would be 15 to 20 per cent lower than the consumption reported for 2000. This trend should continue in future years, leading to a steady reduction in the numbers of CFC-based equipment remaining in service. UNIDO agreed with the Secretariat's "attrition, yet as the average lifetime of a refrigerator in Iran is about 25-30 years, the annual reduction in the population of refrigerators as indicated in the report is still valid".

34. According to the RMP proposal, it is estimated that Iran has around 10,000 workshops and 25,000 technicians in the refrigeration-servicing sector. On the basis of the data reported in the proposal, the Secretariat noted that the number of units annually serviced by these workshops and technicians by type of equipment was very low, as shown in the Table below.

Sub-sector	Annual services of refrigeration equipment:		
	Total services	Per workshop	Per technicians
Domestic refrigerators	1,600,000	160.0	6.4
Commercial units	80,000	8.0	0.3
Industrial/large cold store	3,000	0.3	0.0

35. UNIDO indicated that the average number of units repaired and serviced at each workshop depends on the size of workshop and its location. Workshops provide services for domestic refrigerators, commercial units and industrial/large cold stores. For industrial and large cold stores, some of the equipment is maintained in situ by the technical staff, and sometimes the maintenance of the equipment is subcontracted to qualified engineers; while the total number of services is correct, the average number of installations serviced is not correct (since the number varies depending on the size of workshop and its location).

36. The Secretariat pointed out that the cost-effectiveness of the project (US \$14.14/kg) was extremely poor compared to the cost effectiveness of the servicing sector components of the recently approved projects for Algeria (US \$5.80/kg plus an additional 315 tonnes that will be phased out by the Government without further assistance from the Fund), Brazil (US \$3.70/kg), Malaysia (US \$5.00/kg), Thailand (US \$4.40/kg) and Yemen (US \$2.72/kg).

37. The Secretariat and UNIDO are finalising discussions on the various components of the project including implementation of Decision 37/19. The results of the discussions will be communicated to the Sub-Committee on Project Review.

RECOMMENDATIONS

38. All of the above projects are pending.

MULTILATERAL FUND FOR THE IMPLEMENTATION OF THE MONTREAL PROTOCOL
ON SUBSTANCES THAT DEplete THE OZONE LAYER

PROJECT COVER SHEET

COUNTRY	IRAN	IMPLEMENTING AGENCY	UNDP
PROJECT TITLE	Sector Phase-out Plan for CFCs in the Refrigeration (Manufacturing) Sector in Iran		
PROJECT IN CURRENT BUSINESS PLAN	Yes		
SECTOR	Refrigeration (Manufacturing)		
SUB-SECTOR	All		
ODS USE IN SECTOR	Baseline (Average of 1995-97)	2,400	MT ODP (Mfg + Servicing)
	Current (2001)	2,268	MT ODP (Mfg + Servicing)
	Current (2001)	475	MT ODP (Servicing)
	Current (2001)	1,793	MT ODP (Mfg)
	From approved ongoing projects	1,175	MT ODP
	From other proposals under consideration	229	MT ODP
	From remaining non-eligible enterprises	31	MT ODP
	From remaining eligible enterprises	358	MT ODP
	Net in this Plan	389	MT ODP
PROJECT IMPACT		372	MT ODP
PROJECT DURATION	4 years		
PROJECT COSTS	Incremental Capital Costs	US\$	4,227,000
	Contingencies	US\$	384,200
	Incremental Operating Costs	US\$	350,236
	Total Project Costs	US\$	4,961,436
LOCAL OWNERSHIP	100%		
EXPORT COMPONENT	0%		
REQUESTED GRANT	US\$	4,961,436	
COST EFFECTIVENESS	US\$/kg/y	13.35	
IMPLEMENTING AGENCY SUPPORT COSTS	US\$	555,758	
TOTAL COST OF PROJECT TO MULTILATERAL FUND	US\$	5,517,794	
STATUS OF COUNTERPART FUNDING	N/A		
PROJECT MONITORING MILESTONES	Included		
NATIONAL COORDINATING BODY	Ozone Layer Protection Center, Department of Environment		

PROJECT SUMMARY

This project will phase out all the remaining CFC consumption in the Refrigeration (Manufacturing) Sector in Iran upon completion. The Sector Phase-out Plan will be implemented through four annual implementation programmes and together with the implementation of the approved ongoing projects and other individual/group projects submitted to the 38th EC Meeting, would result in the complete phase-out of CFCs in the Refrigeration (Manufacturing) Sector in Iran in four years. The Sector Phase-out Plan will cover the technology conversions in the 85 remaining eligible enterprises in the Refrigeration (Manufacturing) Sector and ensure timely, sustainable and cost-effective phase-out through a combination of investment, technical support and policy/management support components. The Refrigeration (Servicing) Sector is being addressed through a separate proposal being simultaneously submitted for consideration at the 38th EC Meeting. The total eligible incremental costs and the requested grant for the Refrigeration (Manufacturing) Sector Phase-out Plan are US\$ 4,961,436.

IMPACT OF THE PROJECT ON THE COUNTRY'S MONTREAL PROTOCOL OBLIGATIONS

The approval of this project will assist Iran in meeting its Montreal Protocol obligations, such as the phased reductions in ODS consumption as per the agreed schedules.

PREPARED BY	UNDP in consultation with NOU Iran	DATE	September 2002
REVIEWED BY	Dr. Hubert Creyf (Foams), Dr. Lambert Kuijpers (Refrigeration)	DATE	September 2002

PROJECT OF THE GOVERNMENT OF IRAN
Sector Phase-out Plan for CFCs in the Refrigeration (Manufacturing) Sector in Iran

1. PROJECT OBJECTIVES

The objectives of this project are:

- a) To ensure timely, sustainable and cost-effective CFC phase-out in the Refrigeration (Manufacturing) Sector, through development and implementation of a combination of investment, technical support and policy/management support components.
- b) To enable Iran to meet its obligations of phased ODS reductions in accordance with the control schedule of the Montreal Protocol.
- c) To achieve complete phase-out of CFCs in the Refrigeration (Manufacturing) Sector in Iran within four years.

2. INSTITUTIONAL FRAMEWORK

Iran ratified the Vienna Convention and the Montreal Protocol in October 1990. The preparation of the Country Programme incorporating the national strategy and action plan to phase out ODS in line with the Montreal Protocol control schedule, began in 1992. The Country Programme was approved in 1993. The Country Programme proposed measures and actions by the government and industry, such as institutional and regulatory measures, awareness and information dissemination, technical assistance, training and investments for technology conversions, for facilitating the phase-out of ODS in the various ODS consuming industry sectors and to assist them for complying with the country's commitments and priorities.

Considering the needs of the industry, continued economic availability of CFCs and the overall economy in Iran, and against the background of the new strategic planning frameworks and adjusted funding policies adopted by the Multilateral Fund, complete CFC phase-out is now targeted beginning 2007.

The activities related to ozone layer protection and implementation of the Montreal Protocol, are managed and coordinated through the Ozone Layer Protection Center, within the Department of Environment.

To provide regulatory and policy support for enabling the industry to eliminate ODS, the Government of Iran has taken the following initiatives and actions:

- a) Partial establishing a licensing system for import of ODS from 2002.
- b) Ban on imports of certain types of ODS-based refrigeration compressors from 2002.
- c) Active participation in the preparation, implementation and monitoring for projects funded by MLF
- d) Formulating guidelines and regulations as necessary for policy implementation
- e) Supporting public awareness initiatives for promoting ozone layer protection at the consumer level for encouraging public involvement.
- f) Regular interaction with other ministries and departments, industry representatives and implementing agencies for information dissemination related to impact of policy measures
- g) Promoting information dissemination on the application and use of ozone-friendly technologies.

3. SECTOR BACKGROUND

3.1 Background of the Refrigeration Sector

The range of products manufactured in the sector includes, household refrigerating appliances such as domestic refrigerators and freezers, commercial refrigeration equipment such as display cabinets, bottle coolers, chest freezers, hot and cold water dispensers, visi-coolers, reach-in refrigerators, supermarket equipment, walk-in coolers and freezers and industrial refrigeration equipment such as cold storage and transport refrigeration systems and process chilling and freezing systems. The Refrigeration Sector in Iran has experienced significant growth in the past decade due to the consistent growth in the per capita incomes, the predominance of the service industry and the relatively low market penetration of refrigeration appliances and equipment in the past. CFCs are consumed as blowing agents (CFC-11) and refrigerants (CFC-12, R-502, R-22, etc) in the manufacture of refrigeration and air-conditioning products.

The ODS phase-out activities in this sector in Iran began in 1993. Since then, several investment projects in the domestic and commercial refrigeration sub-sectors have been approved, several completed and many under implementation.

3.2. Structure of the Refrigeration Sector

3.2.1 Supply Industry

There are two indigenous manufacturers of hermetic refrigeration compressors in Iran, which produce compressors suitable for domestic refrigeration appliances using CFC-12 technology and are presently undergoing conversion process. Their combined production is estimated to be about one million units annually, which meets only a part of the domestic demand, the balance being imported. The hermetic and semi-hermetic compressors required by the commercial refrigeration sub-sector are predominantly imported.

Refrigerants and the blowing agents are also not manufactured in Iran and the domestic requirements are met through imports from producers in India, China, Europe, etc. The chemicals required for producing the polyurethane foam insulation are also imported from developed countries and supplied through distributors, indenting agents and systems houses.

The other refrigeration system components are partly produced indigenously and partly imported. Considering the geography and size of the country, the availability of upstream supplies in general is satisfactory, however the quality and level of customer service and technical support is quite limited, mainly due to inadequate infrastructure and due to insufficient availability of trained and qualified staff.

3.2.2 User Industry

In the domestic refrigeration sub-sector, there are several manufacturers of household refrigerators and freezers. The large manufacturers and some medium-sized manufacturers have already converted or are in the process of converting to CFC-free technology with the assistance of MLF. There are a few medium-sized manufacturers, who are yet unaddressed.

In the commercial refrigeration sub-sector, there are several medium-sized manufacturers, who have converted to or are in the process of converting to CFC-free technology with MLF assistance. This sub-sector comprises of a large number of predominantly small and medium-sized enterprises, which are geographically scattered and with relatively little access to sophisticated technology and practices. Low levels of investments in plant and machinery and resulting labor-intensive operation characterize these enterprises.

Although general awareness about quality assurance, training, environment and safety-related issues exists, it does not receive much emphasis in practice, due to low levels of operating capital, because of the low scale of operation and the pressures on profitability exerted by the very competitive domestic market as well as cheap imports. In general, the knowledge of the latest chemicals and technologies is limited in the enterprises. The industrial and transport refrigeration sub-sectors are relatively small, and also comprise of similar small and medium-sized enterprises as described earlier, however most of these enterprises also manufacture commercial refrigeration equipment.

There is a relatively large and fast growing servicing sector comprising of a significant number of large and small servicing establishments, with predominantly labor-intensive operations.

3.3 History of ODS phase-out

The overall CFC consumption for all sectors in Iran, as reported by the Government of Iran for the various CFC consuming sectors, is as tabulated below:

Table-1
Iran: CFC Consumption Data for CY 2000

Sector	Baseline Consumption (1995-97 Avg.) (ODP MT)	Consumption covered by approved projects (ODP MT)	Consumption from approved unimplemented projects (ODP MT)	Consumption for CY 2000 (ODP MT)
Aerosols	0	0	0	0
Foams	2,133	1,520	728	792
Refrigeration	2,071	2,289*	356*	1933*
MAC	357	0	0	350
Solvents	11	10	0	10
TOTAL	4,572	4,169	1,084	3,085

* Excludes consumption from canceled project IRA/REF/31/INV/070 – Bahransarr.

The Refrigeration Sector in Iran accounts for about 45% of Iran's baseline CFC consumption. Since 1993, until December 2001, a total of 83* investment projects in the Refrigeration (Manufacturing) Sector have been funded under the Montreal Protocol mechanism, implemented by UNDP or UNIDO. The detailed list of investment projects approved in this sector till end-2001 is attached in Annex-1. The summary of approved investment projects is as below:

Table-2
Iran Refrigeration Sector - Historical investment project approvals as of December 2001

Sub-Sector(s)	Number of approved Projects	CFC Phase-out Target (ODP MT)	Approved Funding (US\$)	Overall CE (US\$/kg)
Domestic and commercial refrigeration	83*	2,704*	29,652,308*	10.97

* Excludes consumption and funding from canceled project IRA/REF/31/INV/070 – Bahransarr.

The Montreal Protocol programme in Iran has addressed predominantly the domestic and commercial refrigeration sub-sectors, considering the significant contribution of the sector to the overall CFC consumption in Iran as well as considering the significant socio-economic impact of the sector due its capacity to generate employment and incomes.

In addition to achieving the ODS phase-out targets, it has created a degree of awareness among the industry, of the need for incorporating environmental objectives in their investment and operational decisions. The technical assistance and training inputs received through the projects have also enhanced to some extent, the capacity at the enterprise level to address technical and environmental issues. However, the source of the remaining consumption in the Refrigeration (Manufacturing) sub-sector is by small and medium-sized enterprises characterized as described in the user industry structure (section 3.2.2) by modest levels of investments, training, technical knowledge base and awareness available to these enterprises. Moreover, the enterprises are scattered and difficult to access.

3.3.1 Historical Phase-out Approach

All the projects approved in this sector so far (with the exception of three projects) are individual projects. From experience in other similar developing countries, the group approach has been proven to be effective in terms of coverage, cost-effectiveness and CFC phase-out, though it has not necessarily been fully effective in mitigating the infrastructural barriers, such as technology awareness, technical assistance, training, etc. due to the relatively limited amounts of resources approved for these activities, which are considered to be crucial in sustaining the viability of the enterprises and the CFC phase-out. However, a sector-wide phase-out approach needs to be selected to address the remaining CFC consumption in this sector, addressing these concerns and considering that:

- Requirement of cost-effective and sustainable phase-out, while addressing the potential socio-economic impacts thereof.
- A time bound action plan is needed to ensure compliance in line with the Montreal Protocol control schedules and in line with the requirement of attaining sustainable, aggregate and permanent reductions in consumption
- Only the phase-out of CFCs in new products in all remaining enterprises in this sector will primarily limit CFC use in this sector on a sustainable basis and provide the Government with the control and confidence needed to assure Iran's compliance with the Montreal Protocol control milestones

3.3.2 Historical Technology Choices

The large enterprises in the domestic refrigeration sub-sector selected cyclo-pentane technology for conversion of their foam operations. Most medium and small-sized enterprises selected HCFC-141b based systems. The choices have been guided primarily by the scale of operations and costs. For the refrigerant operations, enterprises of all approved projects in the sector have chosen HFC-based technology, being the only cost-effective and viable technology available.

3.3.3 Current Status

The breakdown of CFC consumption in the Refrigeration Sector in Iran for CY 2001 is as below:

Table-3
Breakdown of the CFC consumption in the Refrigeration Sector for CY 2001

Substance	Refrigeration Manufacturing (ODP MT)	Refrigeration Servicing (ODP MT)	TOTAL (ODP MT)
Annex-A, Group-I (CFCs)	1,793	475	2,268

The Refrigeration (Manufacturing) Sector has a net unaddressed residual CFC consumption of 389 MT (excluding projects submitted to the 37th EC Meeting amounting to 229 MT) and the Refrigeration (Servicing) Sector has a net unaddressed residual CFC consumption of 475 MT, not including the CFC use in MAC servicing. The following is the current CFC phase-out status in the Refrigeration Sector:

Sector	Sub-sector	Status
Manufacturing	Domestic refrigeration	Most of the existing large manufacturers of domestic refrigerators have completed CFC phase-out with assistance from the Multilateral Fund. The few remaining medium-sized manufacturers will complete their CFC phase-out through ongoing projects and through the Sector Phase-out Plan
	Commercial, industrial and transport Refrigeration	The enterprises in this sub-sector are predominantly small and medium-sized and scattered throughout the country. So far several enterprises have been covered under the Montreal Protocol programme. Many enterprises in this sub-sector remain to be addressed for CFC phase-out.
	Residential and commercial air conditioning	This sub-sector does not consume CFCs, but predominantly uses HCFCs and HCFC blends, mainly HCFC-22.
	MAC	There is no indigenous manufacturing activity of MAC equipment and therefore no CFC consumption in this sub-sector
	Chillers	There is no indigenous manufacturing capacity for central air conditioning centrifugal chillers in Iran.
Servicing	Domestic & commercial refrigeration	Comprises of service establishments serving the existing population of domestic and commercial refrigeration appliances and equipment. The estimated number of such establishments is about 10,000. A phase-out plan for the servicing sector is presently under submission.
	Residential and commercial air conditioning	As noted above, this sub-sector does not have CFC consumption.
	MAC	A pilot/demonstration programme is under implementation in cooperation with France. About 326 MT still needs to be addressed as of 2001.
	Chillers	This being addressed through the servicing sector phase-out plan currently under submission.

3.3.4 Future CFC phase-out Action Plan

The Government of Iran plans to address the remaining CFC consumption in the Refrigeration Sector as below:

- Individual/group projects submitted to the 37th EC meeting in July through UNDP and UNIDO are proposed for consideration at the 38th EC meeting: 229 MT
- Sector Phase-out Plan for the Refrigeration (Manufacturing) Sector to be submitted for MLF approval in the 38th EC Meeting in November 2002: 389 MT
- Sector Phase-out Plan for the Refrigeration (Servicing) Sector is being submitted for MLF approval in the 38th EC Meeting in November 2002: 475 MT

3.4 Survey of the Refrigeration Sector

With a view to reliably establish the CFC consumption in the Refrigeration (Manufacturing) Sector to facilitate addressing the CFC phase-out in the Refrigeration Sector through a sector-wide approach, the Government of Iran, through the Ozone Layer Protection Center, requested UNDP to assist them in conducting surveys of the Refrigeration (Manufacturing) Sector. With the agreement of the Government, a local refrigeration consultancy firm was identified and retained. The firm and the Ozone Layer Protection Center conducted the survey during May to September 2002. The survey and identification work covering enterprises in the Refrigeration (Manufacturing) sector was completed in Early September 2002 and the remaining CFC consuming enterprises in the Refrigeration (Manufacturing) Sector are now identified and their verified baseline information obtained.

3.4.1 Survey Methodology

The survey methodology for the refrigeration (manufacturing) sector comprised of the following steps:

- Obtaining the lists of enterprises from the Ministry of Industries and Mines and the small industries guild.
- Physical visits and verification of baseline information at the enterprise level.

Based on the records of registration of the enterprises with the Ministry of Industries and the small industries guild, lists of enterprises were prepared. As per the local regulations, the enterprises are registered under the names of their promoters/owners, therefore special emphasis was laid on correlating the names of the enterprises appearing in previously prepared lists and those previously surveyed.

Most of the enterprises surveyed were physically visited through field trips and plant visits carried out by the consultancy firm and by representatives from the Ozone Layer Protection Center. For the purpose of obtaining baseline information on the enterprises, a questionnaire developed by UNDP and the Ozone Layer Protection Center was used. The CFC consumption figures obtained through the survey were verified at the enterprise levels through procurement records and with records available with the relevant government departments through the Ozone Layer Protection Center, to the extent available.

3.4.2 Survey Results

A total of 106 enterprises engaged in manufacturing refrigeration equipment were identified. Most of these enterprises were located in and around major industrial and commercial centers, such as Tehran, Esfahan, Hamedan, etc., however they are widely distributed in the provinces. The total CFC consumption in the 106 identified enterprises for CY 2001, is estimated at 389 MT.

3.4.3 Eligibility and Classification

The eligibility of the surveyed enterprises was determined in accordance with the relevant Executive Committee decisions. Of the total 106 enterprises, the CFC-based production capacity in 85 enterprises was established before July 25, 1995. The capacity at the remaining 21 enterprises was established after July 25, 1995, and these enterprises would therefore not be eligible for funding by MLF.

Out of the 85 enterprises, 60 fall into the category of small-sized enterprises, with a CFC consumption of less than 5 MT/y. The remaining 25 are considered medium-sized with a CFC consumption of over 5 MT/y. All enterprises are 100% indigenously owned and reported that they were financially viable and had no exports to non-Article-5 countries. Table-4 below provides a summary of the overall residual CFC consumption in the Refrigeration (Manufacturing) Sector in Iran:

Table-4
Iran - Residual CFC Consumption in Refrigeration (Manufacturing) Sector

Sub-Sector	Total number of enterprises identified	Number of eligible enterprises	ODS (MT)	Number of non-eligible enterprises	ODS (MT)
Domestic Refrigeration	13	13	153	0	0
Commercial/Industrial Refrigeration	93	72	205	21	31
Total	106	85	358	21	31

Table-5 below provides a summary of the classification of the eligible enterprises identified, based on their size (small enterprises with a CFC consumption less than 5 MT and medium-sized enterprises with a CFC consumption of more than 5 MT):

Table-5
Iran - Classification of remaining eligible enterprises in the Refrigeration (Manufacturing) Sector

Sub-Sector	Number of eligible enterprises	Number of small-sized enterprises	ODS (MT)	Number of medium-sized enterprises	ODS (MT)
Domestic Refrigeration	13	0	0	13	153
Commercial/Industrial Refrigeration	72	60	114	12	91
Total	85	60	114	25	244

3.4.4 Products manufactured

The surveyed enterprises in the domestic refrigeration sub-sector manufacture household refrigerators and freezers and are generally better organized.

The enterprises in the commercial and industrial refrigeration sub-sectors typically manufacture equipment such as chest freezers, display cabinets, bottle coolers, visi-coolers, reach-in refrigerators, hot/cold water dispensers, etc, serving the users in the hospitality and food service industry. The enterprises also manufacture process refrigeration systems, supermarket refrigeration systems and equipment, walk-in coolers/freezers, cold rooms, etc

Out of the 85 eligible enterprises, 55 enterprises consume CFC-11 used as blowing agent for the rigid foam insulation. The remaining 30 enterprises have negligible or no foaming operations in the baseline.

3.4.5 Baseline Equipment

Based on the responses to the questionnaires, as well as the inputs received from plant visits, the baseline equipment for the foam and refrigeration operations in the enterprises can be summarized as below:

Foaming: All 55 enterprises engaged in foaming, use locally made foam dispensers.

Refrigeration: Medium-sized enterprises typically have semi-automatic charging units, vacuum pumps and leak detectors suited for CFC-12. Small-sized enterprises mostly have assorted charging kits and vacuum pumps, suited for CFC-12.

3.4.6 Baseline Resources

While the owners/management of the enterprises surveyed, are more or less conversant with the need to eliminate CFCs under the Montreal Protocol, most enterprises do not have the financial or technical resources to undertake conversions at their own cost. Most of the small-sized enterprises have less than 10 employees. The medium-sized enterprises employ more than 10 persons. While the technicians have basic skills in refrigeration charging and evacuation, there is a lack of good housekeeping and related practices and lack of adequate knowledge or training on CFC-free technologies or applications. Most of the small-sized enterprises do not have well-equipped factories or workshops and lack adequate organizational and infrastructural facilities.

3.4.7 Summary

The following table summarizes the breakdown of the remaining CFC consumption in the Refrigeration (Manufacturing) Sector:

Table-6
Iran Refrigeration (Manufacturing) Sector – Summary of remaining unfunded CFC users/consumption

Sub-sector/Category	Number of Enterprises	CFC Consumption (MT)
Eligible enterprises		
Medium-sized enterprises (CFCs \geq 5 MT/y)	25	243.89
Small-sized enterprises (CFCs < 5 MT/y)	30	77.51
Small-sized enterprises (CFCs < 5 MT/y without foaming baseline)	30	36.96
TOTAL	85	358.36
Ineligible enterprises	21	31.21
GRAND TOTAL	106	388.57

A list of all the remaining enterprises in the Refrigeration (Manufacturing) Sector, with their brief baseline information is presented in Annex-2.

4. PROJECT DESCRIPTION

The Sector Phase-out Plan for elimination of CFCs in the Refrigeration (Manufacturing) sector in Iran will be implemented through a combination of Investment, Technical Support and Policy & Management Support components.

4.1 Investment Component

The investment component of the plan will focus on enabling the participant enterprises to physically eliminate CFCs from their production activities and would comprise of the following elements:

- Assessment of the technical requirements of conversion
- Determining the scope of international and local procurement
- Development of technical specifications and terms of reference for procurement
- Prequalification and short-listing of vendors
- International/local competitive bidding
- Techno-commercial evaluation of bids and vendor selection
- Procurement contracts
- Site preparation
- Customs clearance and delivery
- Installation and start-up
- Product and process trials
- Operator training
- Commissioning and phase-in of CFC-free production
- Destruction of baseline equipment

The approach for implementing the investment component in the remaining eligible and unfunded enterprises in the sector is proposed to be through a combination of individual and group sub-projects as below:

For medium-sized enterprises (CFC consumption more than 5 MT/y)

- Individual sub-projects covering 25 enterprises

For small-sized enterprises (CFC consumption less than 5 MT/y)

- Four group sub-projects covering 60 enterprises

This approach draws on previous implementation experience and has been designed based on the size, level of organization, location and customer base of enterprises concerned and also based on ease and convenience for execution and management. Given the generally small size of the remaining enterprises in the sector, with inadequate in-house technical capabilities, the need for adequate investments for plant and process changes, supported by investments on adequate technical assistance, trials and training, is critical and will involve proportionately larger inputs. It is foreseen that the durations for the sub-projects would be set in such a way as to ensure that the verifiable annual performance targets as may be required for the Sector Phase-out Plan, would be more conveniently quantifiable and achievable.

CFC phase-out in ineligible enterprises will not be funded under the sector phase-out plan and is expected to take place through the control, which the Government will have through policy and regulatory actions. Any unaccounted or unidentified eligible enterprises will be identified and accommodated within the resources approved for this sector phase-out plan.

4.1.1 Plant and process investments

Foam Operations

- a) New chemicals suitable for the selected alternative technology will be required. These will be available from existing chemical suppliers. No specific investments are foreseen for handling of raw chemicals. However, activities under 4.1.2 will assist enterprises for safe handling of the chemicals.
- b) The use of new formulations will lead to a marginal change in mixing ratios and increased viscosity leading to reduced flowability of the chemical mixture. In case of rigid foam conversions, the HCFC-141b based foam will have an increased thermal conductivity in relation to that produced with CFC-11, which is being replaced. The existing manual mixing process or low-pressure foam dispensers will not be able to handle the new formulations without adversely affecting the cell structure and thereby the thermal conductivity of the foam. Hand mixing is also not recommended from occupational health and safety standpoints. Therefore new high or medium-pressure foam dispensers as applicable, of equivalent effective capacity, which will provide a finer cell structure and help minimize the deterioration of thermal conductivity of the foam, and also minimize the occupational health and safety risks, will be needed to replace the existing dispensers/hand-mixing process.
- c) The HCFC-141b based foam will have an increased molded density with respect to the CFC-11 based foam, resulting in increased requirement of chemicals. This increase will be partially offset by the savings resulting from more efficient handling of chemicals due to the new foam dispensers.

Refrigerant Operation

- a) Compressors suitable and optimized for HFC-134a/R-404a will be required. These will be available from existing suppliers.
- b) The chemical stability of HFC-134a/R-404a and of the synthetic lubricants compatible with HFC-134a/R-404a is highly sensitive to moisture and impurities in the system, as compared to that with CFC-12. The evacuation/charging process for HFC-134a/R-404a and polyolester lubricant will need to ensure the required level of cleanliness and dryness in the system. To ensure this the following is proposed:
 - The vacuum pumps will need to be suitable for use with HFC134a/R-404a. Retrofitting of vacuum pumps has not proven feasible or cost-effective in the past due to several factors (unsatisfactory condition, inaccessible suppliers, unavailability of parts, production downtime, etc) therefore appropriate quantities of new vacuum pumps suitable for the conversion, consistent with the baseline capacities, will need to be provided.

- The existing refrigerant charging units/kits are not suitable for use with HFC-134a/R-404a and cannot be retrofitted, and will therefore be replaced with automatic charging units or portable semi-automatic charging units suitable for HFC-134a/R-404a duty.
- c) The design/sizing of the refrigeration system will need to be suitably changed, to ensure the viability of the process and to maintain the product standards for performance and reliability, such as:
- Reengineering evaporators and condensers, so as to ensure the levels of cleanliness and contamination that can be tolerated with HFC-134a/R-404a (< 5 ppm)
 - Lengthening of the capillaries or changing the thermostatic expansion valve models.
 - Use of filter-dryers with finer pores, suitable for use with HFC-134a/R-404a.
- d) The existing leak detection is unsuitable for detecting HFC-134a/R-404a leakages; therefore suitable hand-held leak detectors will need to be provided.

4.1.2 Technical assistance

Technical assistance will be required to be provided through international experts and, when available, national experts to ensure a smooth transition to the new replacement technology. The experts would need to be process specialists and their functions will include overall technical supervision of conversion projects and technical coordination between equipment/chemical suppliers, recipient enterprises and the implementing and/or executing agency. Their specific responsibilities include:

- a) Technical assistance for preparing specifications of equipment to be procured in the sub-project
- b) Technical equipment bid evaluation from suppliers during the competitive bidding process
- c) Technical guidance to the recipient enterprise during start-up with the new equipment and process
- d) Resolving technical issues with the phase-in of the new equipment and processes
- e) Technical evaluation of the results of production and product quality trials jointly with the recipient enterprise
- f) Technical project commissioning including final technical inspection of equipment and process for establishing completion and compliance with project objectives such as the destruction of the baseline CFC-based equipment where applicable, verification of depletion of CFC stocks, and verifying that the non-CFC production process is in operation
- g) Technical evaluation of enterprise reimbursement claims on equipment, raw materials, local works and other items and certification of the same
- h) Technical clearance of project completion, so that the project assets can be handed over and the project closed.
- i) Technical assistance for completion and other reporting requirements.

4.1.3 Product and Process Trials

Trials will be required to validate the new/retrofitted equipment as well as the production process using the new technology, specifically to establish their performance and suitability for the conversion in accordance with specifications and project objectives. Trials will also be needed to evaluate and establish satisfactory end product properties. Trial costs will cover the cost of chemicals, raw materials, components, consumables and utilities required during site preparation and commissioning.

4.1.4 Application and Process Training

Training will be needed to acquaint the production personnel in the enterprise with the new equipment and processes. Training will also be required to address safety and industrial hygiene issues, such as flammability, ventilation, and health hazards and to institute the required industrial practices as applicable to the replacement technology.

4.2 Technical Support Component

Since the Sector Phase-out Plan will address the entire Refrigeration (Manufacturing) Sector, the industry as a whole will need to be supported through provision of a technical support component for ensuring that phase-out actions and initiatives are not only technically sound but also sustainable, and consistent with the important priorities of the Government, which are to prevent industrial dislocation and obsolescence. The Technical Support component will assist the Refrigeration (Manufacturing) Sector as a whole, for the following:

- a) Establishment quality and performance standards for the CFC-free products and applications within the sector.
- b) Interaction with the user industry for providing technology assistance for sustainability of CFC-free refrigeration applications, through technical workshops and meetings
- c) Establishment of a training, certification and licensing program for refrigeration system production equipment operators and technicians, for sustaining the CFC-free technologies.

4.3 Policy & Management Support Component

The implementation of the Sector Phase-out Plan will need to be closely aligned and coordinated with the various policy, regulatory, fiscal, awareness and capacity-building actions the Government of Iran is taking and will need to take in future, in order to ensure that the implementation of the Sector Phase-out Plan is consistent with the Government priorities, such as promotion of indigenization and decentralized management. Further, in view of the annual performance-based targets needed to be achieved under the terms of the Sector Phase-out Plan, the implementation of the Plan would need to be closely and efficiently managed and will introduce additional coordinating, reporting and monitoring activities.

The Refrigeration (Manufacturing) Sector Phase-out Plan will be managed by a dedicated management unit, comprising of a coordinator to be designated by the Government and supported by representatives and experts from the implementing/executing agencies and the necessary support infrastructure. The Policy & Management Support component of the Sector Phase-out Plan will include the following activities, for the duration of the Plan:

- a) Management and coordination of the Plan implementation with the various Government policy actions pertaining to the Refrigeration Sector
- b) Establishment of a policy development and enforcement program, covering various legislative, regulatory, incentive, disincentive and punitive actions to enable the Government to acquire and exercise the required mandates in order to ensure compliance by the industry with the phase-out obligations.
- c) Development and implementation of training, awareness and capacity-building activities for key government departments, legislators, decision-makers and other institutional stakeholders, to ensure a high-level commitment to the Plan objectives and obligations.
- d) Awareness creation of the Phase-out Plan and the Government initiatives in the Sector among consumers and public, through workshops, media publicity and other information dissemination measures.
- e) Preparation of annual implementation plans including determining the sequence of enterprise participation in the planned sub-projects.
- f) Verification and certification of CFC phase-out in completed sub-projects within the Plan through plant visits and performance auditing.
- g) Establishment and operation of a reporting system of usage of CFCs/substitutes by users
- h) Reporting of implementation progress of the Plan for the annual performance-based disbursement.
- i) Establishment and operation of a decentralized mechanism for monitoring and evaluation of Plan outputs, in association with provincial regulatory environmental bodies for ensuring sustainability.

5. TECHNOLOGY

The selection of the alternative technology for conversion would be governed by the following:

- a) Proven and reasonably mature technology
- b) Cost-effective conversion.
- c) Availability of the systems at favorable pricing.
- d) Critical properties that have to be obtained in the end product
- e) Compliance with established (local and international) standards on safety and environment.

The technology selected would also need to be easily adaptable at the (generally small-sized) recipient enterprises, which predominantly would be participating in this project. The selection of the technology would also need to be consistent with the priorities of the Government and industry and to ensure sustainability of the technology in the long-term.

5.1 Foam Operation

The presently available/emerging CFC-phase-out technologies, for rigid polyurethane insulating foams are:

CLASSIFICATION	LIQUID TECHNOLOGY	GASEOUS TECHNOLOGY
Low ODP technologies (Interim)	HCFC-141b, HCFC-141b + water	HCFCs (22, 142b, 22 + 142b/141b)
Zero ODP technologies (Permanent)	Water, Pentanes (n, iso, cyclo) HFC-245fa, HFC-365mfc, HFC-365/227	HFCs (134a, 152a)

Interim Technologies

HCFC-22 (independently or in combination with HCFC-142b and more recently with HCFC-141b) based systems, due to the low boiling point of HCFC-22, cannot be supplied pre-blended and will require investments in full-fledged in-house blending facilities. HCFC-22 also has residual ODP.

HCFC-141b has a boiling point near ambient temperatures. HCFC-141b based systems are technically mature and commercially available. They also provide relatively the most acceptable insulation value and energy efficiency, and the lowest investment and operating costs vis-à-vis other options. No major changes in the auxiliary equipment/tooling in the production program, such as jig/mold redesign, are needed. However, HCFC-141b has residual ODP and is also an aggressive solvent.

Permanent Technologies

Pentane based (n-, iso-, cyclo) systems require extensive safety related provisions/investments due to their flammability. Due to safety considerations, the use of pre-blended systems is not viable and additional investments for in-house pre-mixing are required. Cyclopentane has miscibility limitations with polyols. The molded densities and insulation values are still inferior to those obtained with HCFC-141b. The advantages are their relatively lower operating costs; they are environmentally relatively safe (no ODP/GWP or health hazards) and constitute a permanent technology. Hydrocarbons are thus, the preferred conversion technology for large and organized users, where safety requirements can be complied with and investments can be economically justified. In the present scenario, since most of the enterprises are small or medium-sized, application of hydrocarbon-based systems is not considered feasible.

Gaseous HFCs have been used successfully but cannot be applied widely at the present time, due to cost and availability factors.

For water-based systems, the insulation values, density and commercial availability are unsatisfactory at present. However, these systems have acceptable processing characteristics and are expected to be mature and commercially viable in the near future, especially for applications where insulation values are not very critical. In addition, they are environmentally safe (zero ODP/GWP, no health or safety hazards) and constitute a permanent technology. Since in the current situation the rigid foam is for insulation applications, applying water-based technology is not considered feasible.

Chemical and systems suppliers and the appliance industry have extensively evaluated liquid HFC-based systems. Preliminary trials with non-optimized formulations indicate lower molded foam densities, insulation values comparable to HCFC-141b and no solvent action. On the whole, liquid HFCs are considered to be the only potential zero-ODP alternatives to hydrocarbons. HFC-245fa is expected to be commercially produced beginning the mid-2002. Another candidate, a non-flammable blend of HFC-365mfc and HFC-227, is also planned for commercial production in the second half of 2002. Provided that the commercial and availability considerations are addressed, these substances can be considered to be viable long-term substitutes.

Based on the above considerations, the enterprise will convert to CFC-free systems for their rigid polyurethane foam operations. Until the commercial introduction of mature CFC-free systems, HCFC-141b based systems will need to be used as an interim technology, to maintain product standards and acceptability.

5.2 Refrigerant Operation

The alternative technologies for replacement of CFC-12 in small capacity hermetic/semi-hermetic refrigeration systems are as below:

HCFCs: HCFC-22, Blends
 HFCs: HFC-134a, HFC-152a
 Hydrocarbons: HC-290 (Propane), HC-600a (Isobutane), and HC290/600a (1:1 mixture of both)

HCFCs are not preferred long-term substitutes, due to their residual ODP.

Hydrocarbon technologies though environmentally safe (no ODP/GWP or health hazards) and technically acceptable, require elaborate safety/monitoring provisions and investments due to their flammability and will not be suitable for cost-effective and financially sustainable transfer to small and medium-sized enterprises.

HFC-152a has higher discharge temperatures/pressures, is flammable and less stable at high temperatures and the technology for the same is not widely available.

HFC-134a technology as a replacement for CFC-12 based refrigeration systems, is universally accepted, especially in small hermetic/semi-hermetic systems. HFC-134a is a zero ODP option. The technology is commercially available. Hermetic compressors optimized for HFC-134a are commercially available. This technology is therefore the preferred conversion technology in this project. For low-temperature applications using R-502, based on similar lines as above, R-404a will be the selected replacement technology.

5.3 Technology Selection

Based on the selection parameters for the technologies for foam and refrigerant operations described earlier, the selection of the CFC replacement technologies in the remaining enterprises can be summarized as below:

Sub-sector	CFC Consumption (MT)	Technology Selected
Foam operation	230.22	HCFC-141b + partial water-based systems
Refrigerant operation	158.35	HFC-134a/R-404a

5.4 Additional Justification for HCFC technology

The Ozone Layer Protection Center assisted by the implementing agency experts, prior to the preparation of this proposal, provided detailed briefings to the technical and managerial personnel of the enterprises, regarding the choice of technology for replacing the existing CFC-based technology, under the project as below:

1. An overview of the available interim (low ODP) and permanent (zero ODP) replacement technologies.
2. The techno-economic impact of each technology on the products manufactured, and the processes and practices employed by them.
3. The possible implication of each technology, in terms of its known impact on environment, health and safety, such as ozone depleting potential, global warming potential, occupational health, fire and explosion hazards.
4. It was emphasized to them that HCFC technologies are interim in nature due to their residual ODP and therefore may continue to adversely affect the environment, though at a lower scale than CFCs.
5. It was further explained that HCFCs use may become restricted under present or future international conventions and may also need to be phased out at a future date, and any investments required for their phase-out and for conversion to safer technologies, may have to be borne by them.

The enterprises indicated their preference for selection of HCFC-141b based technology, in their rigid foam operation. The specific justifications offered by them are: Water-based systems were considered, but are unsuitable due to the unsatisfactory insulation values, density and other end-product properties, which will affect their competitiveness. They considered hydrocarbon-based systems unsuitable due to the following:

- a) The fire, explosion and security hazard and compliance with local safety regulations involved in the storage and handling of hydrocarbons, in view of their flammability. In the present premises of these enterprises such compliance is not possible. At the present time, it would not be cost-effective or viable for them to relocate their manufacturing facilities to ensure such compliance.
- b) Since hydrocarbons cannot be pre-mixed in polyols due to the safety hazard they present in transportation, additional investments on in-house premixing equipment will be required. Considering their low volume of production, such investments are not economically viable.
- c) In view of safety considerations, additional and continuous monitoring of plant operations by statutory authorities will be needed. The plant operators will need additional retraining for safety practices. The insurance premiums will increase. This will add to the burden of recurring costs.

In view of the above, the enterprises selected HCFC-141b (+ partial water) based systems for their rigid foam operations as the conversion technology, which will ensure quick phase-out of most of the ODP, while maintaining products competitive and the properties at acceptable levels.

6. INCREMENTAL COSTS

6.1 Summary of incremental costs

The incremental capital and operating costs for the Phase-out Plan are calculated based on the guidance provided by the various Executive Committee Decisions and precedents and agreements reached with MLF during recently approved similar projects in this Sector. The basis and detailed calculations for the various cost elements are presented in Annex-3. The total costs worked out are as below:

Incremental Capital Costs:	US\$ 4,227,000
Contingencies:	US\$ 384,200
Incremental Operating Costs:	US\$ 350,236
Total:	US\$ 4,961,436

6.2 Economies

The incremental costs of the Plan are budgeted on the basis that the sector-wide phase-out approach will result in economies through adoption of cost-effective execution strategies and also through dynamics of the market forces, while providing the Government with the flexibility and the resources to align its policy and regulatory actions with the technical actions, for ensuring a timely, systematic and sustainable phase-out. Some of the salient provisions of the economies considered for calculating the incremental costs of the sector-wide approach as compared to the individual project-to-project approach are as below:

- a) In the investment component, budgets for technical assistance, trials and training are reduced to reflect the savings in the group/sector-wide approach, consistent with prior agreements for similar projects.
- b) Only those enterprises with significant or meaningful foaming baselines have been considered for supporting the foaming operations.
- c) The proposals for replacing the baseline CFC-based equipment have been based on functionality rather than eligibility alone, resulting in savings in the overall costs of the replacement equipment, in accordance with prior agreements with MLF on similar projects.
- d) To account for the impact of market forces in shaping the incremental operating costs, projected price differentials are considered only for foam chemicals and refrigerants (and not for other components).

7. COST EFFECTIVENESS

The Cost Effectiveness (ratio of the total incremental costs to the net ODP phased out per year post-project) of this project works out to US\$ 13.35/kg/y. This has been calculated from the net incremental project costs of US\$ 4,961,436 and the total CFCs (reflecting the net ODP value after deducting the residual ODS of HCFC-141b) amounting to 372 MT, to be phased out upon completion. Details are provided in Annex-4.

8. FINANCING

The total requested grant funding is **US\$ 4,961,436**.

9. IMPLEMENTATION

9.1 Management

The overall management of the Plan will be carried out as described in Section 4.3, by Government of Iran, with the assistance of UNDP as the implementing agency and UNOPS as the executing agency.

The Ozone Layer Protection Center within the purview of the Department of Environment will be responsible for monitoring of the implementation of the Sector Phase-out Plan. The Ozone Layer Protection Center will be responsible for tracking the promulgation and enforcement of policy/legislations and preparation of annual implementation plans and progress reports to the Executive Committee of MLF, with the assistance of UNDP. The Ozone Layer Protection Center with the assistance of UNDP would conduct an annual independent audit for verifying CFC consumption levels including spot checks and random visits and supervise implementation activities.

9.2 Performance and Disbursement Schedule

Year	ODS phase-out target (MT)			Remaining Sector ODS Consumption (MT)	Disbursement (US\$)
	From approved ongoing projects	From Sector Phase-out Plan	Total		
2002	0	0	0	1,793	2,500,000
2003	300	0	300	1,493	1,250,000
2004	400	100	500	993	750,000
2005	500	200	700	293	250,000
2006	204	89	293	0	211,436
2007	0	0	0	0	0
TOTAL	1,404 *	389	1,793	0	4,961,436

* Including 229 MT for individual/group projects submitted to the 37th EC meeting in July 2002 through UNDP and UNIDO, for consideration and approval at the 38th EC meeting.

9.3 Funding Arrangements

Upon approval by MLF of the Phase-out Plan, the Government of Iran, through UNDP, requests the Executive Committee to authorize disbursement of the 2002 funding, the implementation plan for which, is as below:

- a) Establishment of operational mechanism for management and monitoring of the Phase-out Plan.
- b) Formulation of detailed terms of reference and work plans for various activities under the Technical Support and Policy & Management Support components
- c) Establishment of an operational mechanism for participation in the Phase-out Plan and for obtaining phase-out commitments from enterprises.
- d) Initiating CFC phase-out activities for the 25 medium-sized enterprises through individual sub-projects.
- e) Selection of the small-sized enterprises for group projects
- f) One workshop under the Technical Support Component for technology assistance to prospective participant enterprises in the sector.
- g) One workshop for public awareness and information dissemination under the Policy and Management Support component.

Since the average duration for completion of a sub-project is expected to be about 18 months, the phase-out activities initiated in 2003 will not produce results until mid or end-2004, contributing to the reduction of consumption starting 2005. Since complete phase-out under this Sector Phase-out Plan is to be achieved in a short four-year period, the Government of Iran, through UNDP, will request the disbursement of the 2003 funding at the second Executive Committee Meeting of 2003, against satisfactory reporting of activities carried out in 2003. The funds for 2004, 2005 and 2006 will be transferred to UNDP at the first meeting of the Executive Committee in these years, for the amounts listed in the table above, upon approval of the annual implementation plan and upon confirmation by Government and UNDP that the agreed reduction targets and relevant performance milestones of the respective preceding years have been achieved.

10. RESULTS

This project will eliminate the use of CFCs in the Refrigeration (manufacturing) Sector in Iran

ANNEXES

- Annex-1: List of Approved Investment Projects in the Refrigeration Sector in Iran
- Annex-2: List of Remaining Enterprises in the Refrigeration (Manufacturing) Sector in Iran
- Annex-3: Incremental Costs
- Annex-4: Cost-effectiveness Calculations
- Annex-5: Environmental Assessment
- Annex-6: Draft Agreement
- Annex-7: Technical Reviews

ANNEX-1

**Iran - Approved Investment Projects in the Refrigeration (Manufacturing) Sector
(As of December 2001)**

No	Agency	Title	ODS	ODP Phased Out	Grant (US\$)	C. E. (US\$/kg)	Approval Date	Status
1	UNIDO	Arj. Azmayesh, Bahman, Iran Poya and Pars Appl.	757.0	757.0	8,906,390	11.77	Nov-1993	Completed
2	UNIDO	Movalled Home Appliance Co.	70.0	70.0	607,732	8.68	Nov-1997	Completed
3	UNIDO	Pars Machine Manufacturing Co.	62.0	62.0	608,605	9.82	Nov-1997	Completed
4	UNIDO	Lorestan Refrigerator Mfg Industries	94.0	94.0	615,018	6.54	Nov-1997	Completed
5	UNIDO	Gadook Industries Co.	18.5	18.5	373,838	20.21	Nov-1997	Completed
6	UNIDO	Fariz Iran	109.0	109.0	612,504	5.62	Nov-1997	Completed
7	UNIDO	Pars Monark Co.	18.5	18.5	369,939	20.00	Nov-1997	Completed
8	UNIDO	Electro Steel Co.	120.0	120.0	898,159	7.48	Dec-1999	Completed
9	UNIDO	Yakh Chavan Mfg. Co.	41.8	41.8	527,802	12.63	Dec-1999	Completed
10	UNIDO	Yakh Saran Co.	34.0	34.0	458,663	13.49	Dec-1999	Completed
11	UNIDO	Zagross II Co.	34.0	34.0	444,858	13.08	Dec-1999	Completed
12	UNIDO	Sobouhi Refrigeration	30.4	30.4	237,847	7.82	Nov-1998	Completed
13	UNIDO	Yazd Arg, Yazd Sardin & Shervin	62.2	62.2	743,990	11.96	Nov-1998	Completed
14	UNIDO	Sherkate Sanayee Emerson	45.8	45.8	343,873	7.51	Jul-1999	Completed
15	UNDP	Foroughmanesh Co.	35.8	35.8	399,803	11.17	Jul-1999	Completed
16	UNDP	Tahvich Garm va Sard Co.	20.5	20.5	278,659	13.59	Jul-1999	Completed
17	UNIDO	Alisard, Pardis, Mohebi, Jalalzadeh, Meibod, Tagarg, Shahab	42.5	42.5	309,966	7.29	Jul-1999	Completed
18	UNDP	Movalsarma Co.	77.6	77.6	816,698	10.52	Jul-1999	Completed
19	UNIDO	Sherkate Broudati Ghandil Iran	27.5	27.5	335,423	12.20	Jul-1999	Completed
20	UNDP	Electro Shargh Mazandaran Co.	28.2	0.0	301,715	10.70	Nov-1999	
21	UNDP	Sardkaran Industrial Mfg Co.	25.3	0.0	155,405	6.14	Nov-1999	
22	UNDP	Khozestan Technique Co.	9.6	0.0	132,041	13.75	Nov-1999	
23	UNDP	Electro Sard Azna Co.	18.7	0.0	191,061	10.22	Nov-1999	
24	UNDP	Behsarma Co.	34.5	34.5	455,593	13.21	Jul-1999	Completed
25	UNIDO	Saiwan Sannat Co.	14.9	0.0	200,709	13.47	Nov-1999	
26	UNIDO	Sherkate Sanaayee Toulidy Bard Co.	16.4	0.0	205,529	12.53	Nov-1999	
27	UNIDO	Minavand Refrigeration Company	13.4	0.0	176,777	13.19	Nov-1999	
28	UNIDO	Forouzan Yakhchal Company	16.7	0.0	192,704	11.54	Nov-1999	
29	UNDP	Fadak Refrigeration Industries	17.3	0.0	258,937	14.97	Jul-2000	
30	UNDP	Jaleh & Negin Co.	23.6	0.0	322,309	13.66	Jul-2000	
31	UNDP	MH Seyed Salaki Co.	9.8	0.0	141,590	14.45	Jul-2000	
32	UNIDO	Partou Sard Tawan and Himalia	36.1	0.0	377,544	10.46	Jul-2000	
33	UNDP	Baharanfarr Co.	0.0	0.0	0	N/A	Jul-2000	Canceled
34	UNDP	Fereidooni Refrigerant Industries	10.4	0.0	157,454	15.14	Jul-2000	
35	UNDP	Sanaye Part	8.2	0.0	114,770	14.00	Jul-2001	
36	UNIDO	Takran Mobbarad Co.	9.6	0.0	119,864	12.49	Jul-2001	
37	UNDP	Ojan Cooling Industries	7.5	0.0	110,863	14.78	Jul-2001	
38	UNIDO	Tehran Shirak Co.	20.5	0.0	202,836	9.89	Jul-2001	
39	UNIDO	Donyaye Mojdeh Co.	15.4	0.0	191,020	12.40	Jul-2001	
40	UNIDO	Zarifan Mashad Co.	22.0	0.0	200,550	9.12	Jul-2001	
41	UNIDO	Novin Enjemad Co.	10.1	0.0	138,702	13.73	Jul-2001	
42	UNIDO	Roshan Industrial Group	18.6	0.0	203,960	10.97	Jul-2001	

Annex-1

Iran - Approved Investment Projects in the Refrigeration (Manufacturing) Sector (Cont'd)

No	Agency	Title	ODS	ODP Phased Out	Grant (US\$)	C. E. (US\$/kg)	Approval Date	Status
43	UNIDO	Avaj Sarma Co.	15.2	0.0	176,477	11.61	Jul-2001	
44	UNIDO	Arjah Boroudat Co.	27.4	0.0	209,425	7.64	Jul-2001	
45	UNIDO	Gasso Co.	11.7	0.0	158,232	13.52	Jul-2001	
46	UNDP	Yakhchaisazi Yazd Co.	30.0	0.0	248,646	8.29	Jul-2001	
47	UNDP	Rezvan Co.	13.2	0.0	182,182	13.80	Jul-2001	
48	UNDP	Electro Ara Co.	13.0	0.0	178,784	13.75	Jul-2001	
49	UNDP	Bolloorin Yazd Refrigerator Co.	20.5	0.0	212,320	10.36	Jul-2001	
50	UNDP	Sarmaye Sepahan Co.l	10.8	0.0	148,525	13.75	Jul-2001	
51	UNDP	Mersun Co.	11.8	0.0	162,891	13.80	Jul-2001	
52	UNDP	Ideal Sardsir Co.	16.2	0.0	187,907	11.60	Jul-2001	
53	UNDP	Parsa Sazan Co.	20.0	0.0	212,845	10.64	Jul-2001	
54	UNDP	Zenoz Sanaat Co.	10.2	0.0	140,036	13.73	Jul-2001	
55	UNDP	Sepand Afroz Co.	12.6	0.0	172,881	13.72	Jul-2001	
56	UNDP	Yakhchalsazi Anzabi Co.	10.1	0.0	138,935	13.76	Jul-2001	
57	UNDP	General Industries	31.1	0.0	428,197	13.77	Jul-2001	
58	UNDP	Ghaynar Khazar Co.	16.8	0.0	191,092	11.37	Jul-2001	
59	UNDP	Hanzad Co.	19.8	0.0	199,627	10.08	Jul-2001	
60	UNDP	Sana Commercial Co.	11.4	0.0	156,286	13.71	Jul-2001	
61	UNDP	Golsarma Co.	28.3	0.0	230,066	8.13	Jul-2001	
62	UNDP	Shagayegh Boroudat Co.	10.0	0.0	137,985	13.80	Jul-2001	
63	UNIDO	Ariz Pouyayeh Sanaat	7.6	0.0	86,365	11.36	Dec-2001	
64	UNIDO	Yaghoubli Bazdid Vahdat (Isun)	10.5	0.0	131,605	12.53	Dec-2001	
65	UNIDO	Borna Sanat Arak	8.0	0.0	108,238	13.53	Dec-2001	
66	UNIDO	Sarma Gostar Co.	9.3	0.0	100,384	10.79	Dec-2001	
67	UNIDO	Sardintous Co.	10.3	0.0	145,879	14.16	Dec-2001	
68	UNIDO	Abbaspour Co.	9.7	0.0	144,206	14.87	Dec-2001	
69	UNIDO	Sard va Garam Iran	8.4	0.0	125,350	14.92	Dec-2001	
70	UNIDO	Darvesh Mohamed Nazari (Jahan Nama)	9.3	0.0	139,970	15.05	Dec-2001	
71	UNIDO	Sherkate Taavoni (Khorsandi)	5.4	0.0	82,107	15.21	Dec-2001	
72	UNIDO	Alborz Nishabour Co.	16.0	0.0	189,669	11.85	Dec-2001	
73	UNIDO	Bouran Saaz Karaj Co. (Kohsar)	9.6	0.0	120,526	12.55	Dec-2001	
74	UNIDO	Moradi Co.	6.4	0.0	82,400	12.88	Dec-2001	
75	UNDP	Alireza Abdulrezazadeh Co.	7.7	0.0	116,646	15.15	Dec-2001	
76	UNDP	Havasaz Mfg. And Industrial Co.	24.5	0.0	252,294	10.30	Dec-2001	
77	UNDP	Sarma Fan	20.8	0.0	267,075	12.84	Dec-2001	
78	UNDP	Sanaye Broudati Maleki	17.9	0.0	215,052	12.01	Dec-2001	
79	UNDP	Sain Electric Co.	11.2	0.0	152,024	13.57	Dec-2001	
80	UNDP	Mehran Sard Co.	17.7	0.0	144,715	8.18	Dec-2001	
81	UNDP	Tehran Sardsazi Industrial Co.	15.5	0.0	125,244	8.08	Dec-2001	
82	UNDP	Garm Iran Co.	11.8	0.0	153,447	13.00	Dec-2001	
83	UNDP	Parto Shiva Sanaat	23.9	0.0	283,948	11.88	Dec-2001	
84	UNDP	Ghoth Jonoub Industrial Group	14.6	0.0	170,125	11.65	Dec-2001	
TOTAL			2,704	1,736	29,652,308	10.97		

ANNEX-2

Iran - Indicative List of Remaining Enterprises in the Refrigeration (Mfg) Sector

Group I: Enterprises with CFC consumption > 5 MT/y

Domestic Refrigeration Sub-sector

No	Name	Location	Sub-sector	CFC Consumption (MT/y)			Baseline Equipment	
				CFC-11	CFC-12	Total	Foam	Refrigeration
1	Arak Taqsooz	Arak	DR	14.00	3.14	17.14	LPD	1 SACU, 2 VP, 1 LD
2	Barin-e-Fars	Shiraz	DR	15.00	5.00	20.00	2 LPD	1 SACU, 6 VP, 1 LD
3	Bayatak	Ahwaz	DR	12.00	4.00	16.00	2 LPD	1 SACU, 6 VP, 1 LD
4	Boroudati Garam	Shiraz	DR	7.00	2.00	9.00	LPD	1 SACU, 2 VP, 1 LD
5	Jamali	Tehran	DR	4.95	0.95	5.90	LPD	3 MCK, 3 VP, 1 LD
6	Majlesi (Majic Cool)	Tehran	DR	5.08	1.33	6.41	LPD	4 MCK, 2 VP, 1 LD
7	Sahar-e-Bakhtar	Urumich	DR	11.50	3.00	14.50	LPD	1 SACU, 4 VP, 1 LD
8	Sanaat-e-Sard	Tehran	DR	10.27	3.71	13.98	LPD	1 SACU, 5 VP, 2 LD
9	Sanaye Boroudati Vahid	Tehran	DR	9.00	3.00	12.00	2 LPD	1 SACU, 2 VP, 1 LD
10	Sardsir	Tehran	DR	4.42	1.20	5.62	LPD	3 MCK, 2 VP, 2 LD
11	Sorena	Tehran	DR	8.00	2.50	10.50	LPD	1 SACU, 4 VP, 1 LD
12	Tajhizat Ashfazkhaneh	Tehran	DR	7.04	1.84	8.88	LPD	1 SACU, 3 VP, 1 LD
13	Zafar Boroudat	Garmshahr	DR	10.00	3.00	13.00	LPD	1 SACU, 4 VP, 1 LD
Total (13 enterprises)				118.26	34.67	152.93		

Commercial Refrigeration Sub-sector

No	Name	Location	Sub-sector	CFC Consumption (MT/y)			Baseline Equipment	
				CFC-11	CFC-12	Total	Foam	Refrigeration
1	Adis Technique	Tehran	CR	4.20	2.10	6.30	LPD	3 MCK, 2 VP, 1 LD
2	Baradaran Jamali	Golpaygan	CR	2.94	2.78	5.72	LPD	3 MCK, 2 VP, 1 LD
3	Charmahali (Arvin)	Hamedan	CR	5.62	6.85	12.47	LPD	4 MCK, 2 VP, 1 LD
4	Esfahan Yakhchal	Esfahan	CR	7.66	3.27	10.93	LPD	5 MCK, 2 VP, 1 LD
5	Momtaz	Tehran	CR	3.81	1.37	5.18	LPD	3 MCK, 3 VP, 2 LD
6	Rad Sarma	Tehran	CR	3.92	1.18	5.10	LPD	3 MCK, 2 VP, 1 LD
7	Sarmasazi Alborz	Abadan	CR	6.59	2.29	8.88	LPD	4 MCK, 2 VP, 1 LD
8	Steel Behnaam	Tehran	CR	7.80	3.37	11.17	LPD	4 MCK, 3 VP, 2 LD
9	Super Technique	Tehran	CR	4.92	1.09	6.01	LPD	3 MCK, 2 VP, 1 LD
10	Taavoni Pars Shova	Hamedan	CR	3.50	2.50	6.00	LPD	3 MCK, 2 VP, 2 LD
11	Tolidi Sanati Amin	Esfahan	CR	5.70	1.60	7.30	LPD	4 MCK, 3 VP, 2 LD
12	Tolidi Sanati Ehsan	Esfahan	CR	4.30	1.60	5.90	LPD	4 MCK, 2 VP, 1 LD
Total (12 enterprises)				60.96	30.00	90.96		

Group II: Enterprises with CFC consumption < 5 MT/y (with foaming baseline)

No	Name	Location	Sub-sector	CFC Consumption (MT/y)			Baseline Equipment	
				CFC-11	CFC-12	Total	Foam	Refrigeration
1	Bahsard	Tehran	CR	2.00	0.96	2.96	LPD	Assorted MCK, VP, LD
2	Barfak	Tehran	CR	1.15	0.50	1.65	LPD	
3	Bell	Tehran	CR/IR	0.23	1.17	1.40	LPD	
4	Chekad Lorestan	Khorramabad	CR/IR	0.17	0.34	0.51	LPD	
5	Daryush Hoshangi	Esfahan	CR	2.00	1.68	3.68	LPD	
6	Eftekhari	Tehran	CR	2.55	1.25	3.80	LPD	
7	Electro Alvand	Tehran	CR/IR	0.19	0.17	0.36	LPD	
8	Electro Bahar	Tehran	CR	0.36	0.22	0.58	LPD	

Annex-2: Indicative List of Remaining Enterprises in the Refrigeration Sector (Cont'd)

Group II: Enterprises with CFC consumption < 5 MT/y (with foaming baseline) – Cont'd

No	Name	Location	Sub-sector	CFC Consumption (MT/y)			Baseline Equipment		
				CFC-11	CFC-12	Total	Foam	Refrigeration	
9	Electro Marjan	Tehran	CR	1.16	0.16	1.32	LPD	Assorted MCK, VP, LD	
10	Electro Pars	Tehran	CR/IR	0.85	2.05	2.90	LPD		
11	Electro Saied	Shabestar	CR/IR	1.80	2.50	4.30	LPD		
12	Electro Shahab	Tehran	CR/IR	1.44	1.32	2.76	LPD		
13	Kolon Nik (Nikpeiman)	Mashhad	CR/IR	1.50	1.20	2.70	LPD		
14	Iran Goudarz	Tehran	CR	1.09	0.98	2.07	LPD		
15	Keyvan	Sanandaj	CR/IR	1.10	1.50	2.60	LPD		
16	Kian Sanaat	Khomeinisha	CR	3.65	0.86	4.51	LPD		
17	Kohrang	Esfahan	CR/IR	2.30	2.20	4.50	LPD		
18	Mehdi Souri	Tehran	CR/IR	0.32	1.18	1.50	LPD		
19	Mehr	Esfahan	CR/IR	1.13	1.75	2.88	LPD		
20	Milad Sarma	Tehran	CR	1.90	0.96	2.86	LPD		
21	Mir Ahsani	Tehran	CR	0.47	0.23	0.70	LPD		
22	Nobakht	Tehran	CR	1.02	0.56	1.58	LPD		
23	Pars Noo	Tehran	CR	1.56	0.41	1.97	LPD		
24	Saeigheh	Lorestan	CR	0.33	0.15	0.48	LPD		
25	Sana-e-sard Naeem	Tehran	CR/IR	1.69	2.00	4.69	LPD		
26	Sarmasazi Jonoub	Abadan	CR	3.18	0.94	4.12	LPD		
27	Shaheen	Tehran	CR	2.42	1.44	3.86	LPD		
28	Super Automatic	Arak	CR	2.00	1.00	3.00	LPD		
29	Tagarg Sanaat	Esfahan	CR	3.10	1.55	4.65	LPD		
30	Yehganch	Tehran	CR	1.43	1.19	2.62	LPD		
Total (30 enterprises)				44.09	32.42	77.51			

Group III: Enterprises with CFC consumption < 5 MT/y (without foaming baseline)

No	Name	Location	Sub-sector	CFC Consumption (MT/y)			Baseline Equipment	
				CFC-11	CFC-12	Total	Foam	Refrigeration
1	Adel Mirzanejad	Ardebil	CR/IR	0.00	2.10	2.10	N/A	Assorted MCK, VP, LD
2	Atlas	Mashhad	CR/IR	0.00	3.00	3.00	N/A	
3	Ebtekar	Tehran	CR/IR	0.00	0.31	0.31	N/A	
4	Electronique	Tehran	CR/IR	0.00	0.48	0.48	N/A	
5	Goudarzi	Tehran	CR/IR	0.00	0.87	0.87	N/A	
6	Iran Freezer	Tehran	CR/IR	0.00	1.12	1.12	N/A	
7	Iran Sanaat	Tehran	CR/IR	0.00	0.92	0.92	N/A	
8	Jahan Sarma	Tehran	CR/IR	0.00	1.50	1.50	N/A	
9	Jam	Tehran	CR/IR	0.00	2.02	2.02	N/A	
10	Khavaran	Tehran	CR/IR	0.00	2.19	2.19	N/A	
11	Kiaei	Tehran	CR/IR	0.00	1.50	1.50	N/A	
12	Mehdi Vafaye	Esfahan	CR/IR	0.00	2.17	2.17	N/A	
13	Mostafa Daghigh	Babol	CR/IR	0.00	0.27	0.27	N/A	
14	Negin	Tehran	CR/IR	0.00	1.70	1.70	N/A	
15	Nemmonch	Tehran	CR/IR	0.00	0.48	0.48	N/A	
16	Nesar	Tehran	CR/IR	0.00	2.00	2.00	N/A	
17	Safari	Tehran	CR/IR	0.00	0.70	0.70	N/A	
18	Sahand	Tehran	CR/IR	0.00	2.11	2.11	N/A	
19	Sanaye Sardogarm Iran	Hamedan	CR/IR	0.00	0.90	0.90	N/A	
20	Sard Mezan	Tehran	CR/IR	0.00	1.38	1.38	N/A	

Annex-2: Indicative List of Remaining Enterprises in the Refrigeration Sector (Cont'd)

Group III: Enterprises with CFC consumption < 5 MT/y (without foaming baseline) – Cont'd

No	Name	Location	Sub-sector	CFC Consumption (MT/y)			Baseline Equipment	
				CFC-11	CFC-12	Total	Foam	Refrigeration
21	Tehran Sard	Tehran	CR/IR	0.00	0.57	0.57	N/A	Assorted MCK, VP, LD
22	Toloo	Tehran	CR/IR	0.00	0.49	0.49	N/A	
23	Yakhrizzangharb	Hamedan	CR/IR	0.00	1.84	1.84	N/A	
24	Zarin	Ardebil	CR/IR	0.00	1.18	1.18	N/A	
25	Zarin Noo	Ardebil	CR/IR	0.00	1.16	1.16	N/A	
26	Yakhchalsazi Tavana (Electro Toos)	Mashhad	CR/IR	0.00	0.42	0.42		
27	Farmad Sarma	Tehran	CR/IR	0.00	0.80	0.80		
28	Alvand	Sabzevar	CR/IR	0.00	0.30	0.30		
29	Hadi Tamadon Nejad	Jajroud	CR/IR	0.00	1.50	1.50		
30	Taavoni Tolidat Sanati Sepahan	Esfahan	CR/IR	0.00	1.00	1.00		
Total (30 enterprises)				0.00	36.96	36.96		

Group IV: Ineligible Enterprises

No	Name	Location	Sub-sector	CFC Consumption (MT/y)			Baseline Equipment	
				CFC-11	CFC-12	Total	Foam	Refrigeration
1	Arman	Tehran	CR	2.19	0.73	2.92	LPD	Assorted MCK, VP, LD
2	Arshak Gharapetian	Tehran	CR/IR	0.00	0.66	0.66	N/A	
3	Azar Sard	Tehran	CR	1.53	0.48	2.01	LPD	
4	Baharan	Tehran	CR/IR	0.00	0.13	0.13	N/A	
5	Baradaran-e-Khalifi	Tehran	CR/IR	0.00	2.11	2.11	N/A	
6	Binalod Shargh	Mashhad	CR/IR	0.00	2.00	2.00	N/A	
7	Electro Omega	Tehran	CR/IR	0.00	0.38	0.38	N/A	
8	Esfandani	Tehran	CR/IR	0.00	0.80	0.80	N/A	
9	Ettehad	Tehran	CR/IR	0.00	0.71	0.71	N/A	
10	Iran Tekno	Qom	CR/IR	0.00	2.05	2.05	N/A	
11	Jahan Boroudat	Tehran	CR/IR	0.00	0.50	0.50	N/A	
12	Kaktoos	Tehran	CR/IR	0.00	1.37	1.37	N/A	
13	Novin	Tehran	CR/IR	0.00	0.49	0.49	N/A	
14	Sanaye Boroudati Amir	Tehran	CR/IR	0.00	2.50	2.50	N/A	
15	Sepahan Takee	Esfahan	CR	1.31	1.17	2.48	LPD	
16	Shayan	Tehran	CR/IR	0.00	2.71	2.71	LPD	
17	Shazaidi Refrigeration	Esfahan	CR	1.88	1.15	3.03	LPD	
18	Tak	Tehran	CR/IR	0.00	0.60	0.60	HM	
19	Toochal	Tehran	CR/IR	0.00	0.80	0.80	HM	
20	Top	Tehran	CR/IR	0.00	0.80	0.80	HM	
21	Zarren Sarma	Ardebil	CR/IR	0.00	2.16	2.16	HM	
Total (9 enterprises)				6.91	24.30	31.21		

Annex-2: Indicative List of Remaining Enterprises in the Refrigeration Sector (Cont'd)

Summary

Enterprise Size/Category	Indicative Number of Enterprises	CFC Consumption (MT/y)		
		CFC-11	CFC-12	Total
Medium-sized (CFCs ≥ 5 MT/y)	25	179.22	64.67	243.89
Small-sized (CFCs < 5 MT/y) with foaming	30	44.09	32.42	76.51
Small-sized (CFCs < 5 MT/y) without foaming	30	0.00	36.96	36.96
Ineligible enterprises	21	6.91	24.30	31.21
GRAND TOTAL	106	230.22	158.35	388.57

KEYS FOR TABLES:

DR: Domestic Refrigeration	HM: Hand-mixing	MCK: Manual charging kits
CR: Commercial Refrigeration	LPD: Low-pressure foam dispenser	SACU: Semi-automatic charging units
IR: Industrial Refrigeration	HPD: High-pressure foam dispenser	ACU: Automatic charging units
		VP: Vacuum pumps
		LD: Leak detectors

ANNEX-3
Incremental Costs

A. Incremental Capital Costs

Investment Component

Domestic Refrigeration

Cost Head	Cost (US\$)
Foam Operation	
Foam Dispenser	60,000
Trials	2,000
Technical Assistance	2,000
Training	1,000
Sub-total (Foam)	65,000
Refrigerant Operation	
Automatic charging stations	15,000
Vacuum pumps	5,000
Leak detectors	2,000
Trials	2,000
Technical Assistance	2,000
Training	1,000
Sub-total (Refrigeration)	27,000
Number of enterprises	13
Total (13 enterprises)	1,196,000
Additional cost for 3 foam dispensers and trials at US\$ 62,000/foam dispenser	186,000
Total (Domestic Ref) - A	1,382,000

Commercial Refrigeration

Cost Head and Enterprise Type	Medium-sized enterprises (≥ 5 MT CFCs)			Small-sized enterprises (< 5 MT CFCs)		
	No foaming baseline	Hand-mixing baseline	Dispenser baseline	No foaming baseline	Hand-mixing baseline	Dispenser baseline
Foam Operation						
Foam dispenser	N/A	N/A	60,000	0	N/A	30,000
Trials	N/A	N/A	2,000	0	N/A	2,000
Technical assistance	N/A	N/A	2,000	0	N/A	2,000
Training	N/A	N/A	1,000	0	N/A	1,000
Sub-total (Foam)	N/A	N/A	65,000	0	N/A	35,000
Refrigerant Operation						
Charging units	N/A	N/A	4,000	2,000	N/A	2,000
Vacuum pumps	N/A	N/A	5,000	2,500	N/A	2,500
Leak detectors	N/A	N/A	2,000	1,000	N/A	1,000
Trials	N/A	N/A	1,000	1,000	N/A	1,000
Technical assistance	N/A	N/A	1,000	1,000	N/A	1,000
Training	N/A	N/A	500	500	N/A	500
Sub-total (Refrigeration)	N/A	N/A	13,500	8,000	N/A	8,000
Total (per enterprise)	N/A	N/A	77,500	8,000	N/A	43,000
Number of enterprises	N/A	N/A	12	30	N/A	30
Total (all enterprises)	N/A	N/A	930,000	240,000	N/A	1,290,000
Total (Commercial) - B						2,460,000

Annex-3: Incremental Costs (Cont'd)

A. Incremental Capital Costs (Cont'd)

Investment Component (Cont'd)

Domestic Refrigeration (A)	1,382,000
Commercial Refrigeration (B)	2,460,000
Sub-total	3,842,000
Contingencies (10%)	384,200
TOTAL (US\$)	4,226,200

Non-investment Component

See notes	385,000
TOTAL (US\$)	385,000

Summary

Investment Component	4,226,200
Non-investment Component	385,000
TOTAL INCREMENTAL CAPITAL COSTS (US\$)	4,611,200

B. Incremental Operating Costs

Incremental Operating Costs (see notes)	350,236
TOTAL INCREMENTAL OPERATING COSTS (US\$)	350,236

C. TOTAL COSTS

Incremental Capital Costs including Contingencies	4,611,200
Incremental Operating Costs	350,236
GRAND TOTAL INCREMENTAL COSTS (US\$)	4,961,436

NOTES & CLARIFICATIONS

Incremental Capital Costs

Foam Operation

1. The following considerations are involved in calculating the budgets for foaming equipment.

Enterprise type	Baseline	Replacement	Cost (US\$)	Funding (US\$)	Remarks
Small-sized	No foaming	None	0	0	
	LPD	Medium-pressure dispenser	30,000	30,000	0% contribution
Medium-sized	LPD	High-pressure 60 lit/min	60,000	60,000	0% contribution

2. The budgets for trials, training and technical assistance (total TTT) for the foam operation are based on US\$ 5,000 per enterprise with a foaming baseline.

Refrigerant operation

3. Regardless of the baseline, trolley-mounted semi-automatic portable charging units are proposed for all enterprises in the commercial refrigeration sub-sector. One such charging unit is proposed for each small-sized enterprise and two units for each medium-sized enterprise. For the domestic refrigeration sub-sector, one automatic charging unit is proposed for each enterprise.

Annex-3: Incremental Costs (Cont'd)

3. Two vacuum pumps and two hand-held leak detectors are proposed for each medium-sized enterprise. One vacuum pump and one hand-held leak detector is proposed for each small-sized enterprise.
4. The budgets for trials, technical assistance and training for the refrigerant operation (total TTT) are based on US\$ 2,500/enterprise.

Incremental Operating Costs

Foam Operation

Domestic Refrigeration

Item	Unit	Before Conversion (US\$)			After Conversion (US\$)			Net Incremental Cost (US\$/yr)
		Qty	Rate	Amount	Qty	Rate	Amount	
Foam Chemicals	Kg	788,400	2.50	1,971,000	827,820	2.67	2,210,279	239,279
Subtotal				1,971,000			2,210,279	239,279
Less savings due to more efficient processing of chemicals (5%)								(110,514)
Incremental operating costs/year for foam operation								128,765
Incremental operating costs for foam operation (6 months)								64,383

Commercial Refrigeration

Item	Unit	Before Conversion (US\$)			After Conversion (US\$)			Net Incremental Cost (US\$/yr)
		Qty	Rate	Amount	Qty	Rate	Amount	
Foam Chemicals	Kg	406,400	2.50	1,016,000	426,720	2.67	1,139,342	123,342
Subtotal				1,016,000			1,139,342	123,342
Less savings due to more efficient processing of chemicals (5%)								(56,967)
Incremental operating costs/year for foam operation								66,375
Incremental operating costs for foam operation (NPV for 2 years @10% annual discounting)								115,493

Refrigerant Operation

Domestic Refrigeration

Item	Unit	Qty.	Price Differential between pre- and post conversion (US\$/unit)	Modifying Factor (if applicable)	Net Incremental Cost (US\$/yr)
Refrigerant	Kg	34,670	3.00	0.90	84,942
Incremental operating costs/year for refrigeration operation					84,942
Incremental operating costs for refrigeration operation (6 months)					42,471

Commercial Refrigeration

Item	Unit	Qty.	Price Differential between pre- and post conversion (US\$/unit)	Modifying Factor (if applicable)	Net Incremental Cost (US\$/yr)
Refrigerant	Kg	30,000	3.00	0.90	73,500
Incremental operating costs/year for refrigeration operation					73,500
Incremental operating costs for refrigeration operation (NPV for 2 years @10% annual discounting)					127,890

Summary of Incremental Operating Costs

Sub-sectors	DR	CR	Total
Foam	64,383	115,493	179,876
Refrigeration	42,471	127,890	170,361
Total	106,853	243,383	350,236

Basis and Considerations

1. **Incremental operating costs claimed pertain only to the cost differentials between foam chemicals and refrigerants, as it is foreseen that these differentials would exist throughout the duration of the project due to continued economic availability.**
2. **Incremental operating costs are not claimed on account of cost differentials for other components, such as compressors, condensers, evaporators, capillaries or expansion devices, etc., as it is foreseen that these cost differentials may not apply throughout the duration of the project.**
3. The increased costs on account of molded foam density increases in rigid foam with HCFC-141b based systems with respect to CFC-11 based systems as calculated as recommended by OORG and adopted by Executive Committee Decision 31/35. For commercial refrigeration sub-sector, in order to apply the density increases, the distribution of products manufactured by relative CFC consumption, is assumed to be equal among the five product classifications, namely, display cabinets, chest freezers, visi-coolers, vending machines and walk-in-coolers.
4. The net savings on account of more efficient handling of chemicals due to the introduction of a new high-pressure or medium-pressure foam dispensers are calculated at 5%.
5. The calculation of incremental operating costs is based on the following assumptions and chemical costs:

Rigid foam

- Cost of baseline CFC-based chemical system: US\$ 2.50/kg (Baseline ratio - 100:43:143)
- Cost of HCFC-141b based chemical system: US\$ 2.67/kg (New ratio - 100:26:145)

Refrigeration

- Cost differential for refrigerant: US\$ 3.00/kg

6. All amounts rounded off to the nearest US\$ 1.00
7. The calculations exclude all taxes/duties and growth.

Non-investment activities

The breakdown of the budgets for the non-investment activities (over a 4-year period) is as below:

Component	Activity	Basis	Budget (US\$)
Sector Technical Support	Quality and product standards	Technical consulting @ 60 man days	45,000
	Technology workshops	4 workshops	40,000
	Licensing/certification program	Legal/technical consulting @ 50 man days	25,000
Policy and Management Support	Management and monitoring	100 days/year for 4 years (400 man days)	40,000
	Policy development & enforcement	100 days/year for 4 years (400 man days)	40,000
	Training and capacity-building	10 workshops (US\$ 7,500/workshop)	75,000
	Awareness programmes	8 workshops and information dissemination	80,000
	Verification and certification	100 days/year for 4 years (400 man days)	40,000
Total			385,000

ANNEX-4
Cost-Effectiveness

A. ODP Impact of the Project

SUBSTANCE	ODP	CONSUMPTION (KG)	NET ODP (KG)
CFC-11	1.00	230,220	230,220
Substitute: HCFC-141b	0.11	153,481	(16,883)
CFC-12	1.00	158,350	158,350
Substitute: HFC-134a	0.00	142,515	0
Net ODS Phase-out			371,687
Remaining ODP Consumption in the sector			16,883

B. Cost-effectiveness Calculation

PARAMETER/COST HEAD	UNIT	TOTAL
Total Project Costs		
A. Incremental Capital Costs	US\$	4,227,000
B. Contingencies (10% of A)	US\$	384,200
C. Incremental Operating Costs	US\$	350,236
D. Total Project Costs (A + B + C)	US\$	4,961,436
Adjustments to Project Costs		
E. Adjustment for non-Article-5 ownership	US\$	0
F. Adjustment for export to non-Article-5	US\$	0
G. Adjustment for technological upgrade	US\$	0
Net Project Costs		
H. Net Project costs (D – [E + F + G])	US\$	4,961,436
ODS Phase-out		
I. Total ODS phase-out	Kg	388,570
J. Net ODP phase-out	ODP Kg	371,687
Cost-effectiveness		
K. Cost-effectiveness (H/J)	US\$/kg/y	13.35
Eligible MLF Funding		
	US\$	4,961,436

ANNEX-5
Environmental Assessment

HCFC-141b has an ODP of 0.11 and GWP of 630, which are considered acceptable for rigid polyurethane foam application. HCFC-141b is considered non-flammable as a liquid and moderately flammable as a gas (7.6% to 17.7% in air by volume), and is considered safe in applications where the exposure level is less than 500 ppm on a 8-hour time weighted average basis, which is marginally lower than the existing technology. The smog potential of HCFC-141b is about ten times that of CFC-11, although with an emission rate of only about 3% during production, this is not an issue. No changes in the current occupational safety practices are envisaged.

HFC-134a has zero ODP and GWP of 1,300. For this application, this is considered acceptable. HFC-134a is non-flammable, and has been extensively tested for toxicity, and is considered safe in applications where the exposure level is less than 1000 ppm on a 8-hour time weighted average basis, which is the same as that for CFC-12, the existing technology. Therefore no changes in the current occupational safety practices are envisaged in this project.

This project thus uses environmentally safe and acceptable technology

The enterprises participating in this project have obtained the necessary statutory environmental clearances for their present operations. Additional clearances if any, for implementing this project, will be obtained as and when required from the relevant competent authorities.

ANNEX-6
Draft Agreement

1. The Executive Committee approves in principle a total of US\$ 4,961,436 in funding for the phased reduction and complete phase-out of CFCs used in the Refrigeration (Manufacturing) Sector in Iran. This is the total funding that would be available to Iran from the Multilateral Fund for the complete elimination of CFC use in the Refrigeration (Manufacturing) Sector in Iran, by 31 December 2006. The agreed level of funding would be disbursed in installments as indicated in Table-1 and on the basis of the understanding set out in this agreement. By this agreement, Iran commits that it will eliminate its total CFC consumption in the Refrigeration (Manufacturing) Sector in accordance with the phase-out target and CFC consumption limits as indicated in Table-1 below:

Table-1
Disbursement Schedule and Control Targets for CFC Consumption
and Phase-out in the Refrigeration (Manufacturing) Sector in Iran

Parameter	2002	2003	2004	2005	2006	2007	Total
Annual CFC Consumption limit in the Refrigeration (Mfg) Sector (ODP MT)	1,793	1,793	1,493	993	293	0	N/A
Annual CFC phase-out target from on-going projects (ODP MT)	0	300	400	500	204	0	1,404
Annual CFC phase-out target in the Refrigeration (Mfg) Sector Phase-out Plan(ODP MT)	0	0	100	200	89	0	389
Annual Funding Disbursement Tranche (US\$)	2,500,000	1,250,000	750,000	250,000	211,436	0	4,961,436
Agency Support Costs (US\$)	280,039	140,019	84,011	28,004	23,685	0	555,758
Total cost to Multilateral Fund (US\$)	2,780,039	1,390,019	834,011	278,004	235,121	0	5,517,794

2. The phase-out of CFCs achieved in the Refrigeration (Manufacturing) Sector in excess of the specified target for a given year will contribute to achievement of the phase-out targets in subsequent years.

3. The Executive Committee also agrees in principle that the funds for the implementation of the annual programme for any given year will be provided in accordance with the disbursement schedule in Table-1 for the exact amount listed for that year and on the basis of the implementation programme for the year, subject to the performance requirements contained in this agreement. The Executive Committee will strive to ensure that funds are provided at its second meeting in the preceding year. The funding installments for 2004, 2005 and 2006 will be released subject to:

- a) The confirmation that all agreed phase-out targets and consumption limits for the previous year have been achieved;
- b) The verification that the activities planned for the previous year, were undertaken in accordance with the annual implementation programme.

4. The Government of Iran agrees to ensure accurate monitoring of the phase-out. The Government of Iran will provide regular reports, as required by its obligations under the Montreal Protocol and this Agreement. The consumption figures provided under this agreement will be consistent with Iran's reports to the Ozone Secretariat under Article 7 of the Montreal Protocol.

The Government of Iran also agrees to allow independent verification audits as provided for in this agreement, and in addition, external evaluation as may be directed by the Executive Committee, to verify that annual CFC consumption levels correspond to those agreed and that the implementation of the Refrigeration (Manufacturing) Sector Phase-out Plan proceeds as scheduled and agreed in annual implementation programmes.

5. The Executive Committee agrees to provide Iran with flexibility in using the agreed funds to meet the consumption limits indicated in Table-1. The Executive Committee has the understanding that during implementation, as long as it is consistent with this Agreement, the funds provided to Iran pursuant to this Agreement may be used in the manner that Iran considers will achieve the smoothest possible CFC phase-out, consistent with operational procedures as agreed between Iran and UNDP in the Refrigeration (Manufacturing) Sector Phase-out Plan as revised and as indicated in the annual implementation programmes. In the Executive Committee's acknowledgement of the flexibility available to Iran in achieving a complete CFC phase-out in the Refrigeration (Manufacturing) Sector, it is understood that Iran is committing to provide the necessary level of resources as may be required for the implementation of the plan and for achieving the consumption limits indicated in Table-1 above.

6. The Government of Iran agrees that the funds being agreed in principle by the Executive Committee at its 38th Meeting for the complete phase-out of CFCs in the Refrigeration (Manufacturing) Sector are the total funding that will be available to Iran to enable its full compliance with the reduction and phase-out as agreed with the Executive Committee, and that no additional Multilateral Fund resources will be forthcoming for any related activities in the Refrigeration (Manufacturing) Sector. It is also understood that aside from the agency fees referred to in paragraph 8 below, the Government of Iran, the Multilateral Fund, and its Implementing Agencies, and bilateral donors will neither request nor provide further Multilateral Fund related funding for the accomplishment of the total phase-out of CFCs in the Refrigeration (Manufacturing) Sector in Iran.

7. The Government of Iran agrees that if the Executive Committee meets its obligations under this Agreement, but Iran does not meet the reduction requirements outlined in Table-1 and other requirements outlined in this Agreement, the Implementing Agency and the Multilateral Fund will withhold subsequent tranches of funding outlined in Table-1, until such time as the required reduction has been met. It is clearly understood that the fulfillment of this Agreement depends on the satisfactory performance by both the Government of Iran and the Executive Committee of their obligations. In addition, Iran understands that with respect to all calendar year targets beginning with 2004, the Multilateral Fund will reduce the subsequent tranches and therefore the total funding for Annex-A Group-I substances in the amount of US\$ 11,200 per ODP MT of reductions in consumption not achieved in any year, unless the Executive Committee decides otherwise.

8. UNDP is the Implementing Agency for the implementation of this Phase-out Plan, which will be completed by the end of 2006. A fee of 13% (for the first US\$ 0.5 million) and 11% (for the amount in excess of US\$ 0.5 million) been agreed in accordance the relevant Executive Committee Decisions as indicated in Table-1. As the main implementing agency, UNDP would be responsible for the following:

- a) Ensuring performance and financial verification in accordance with specific UNDP procedures and requirements as specified in the Refrigeration (Manufacturing) Sector Phase-out Plan;
- b) Reporting on the implementation of the annual implementation programmes to be included as part of each annual programme starting with the submission for the 2004 annual implementation programme prepared in 2003;
- c) Providing verification to the Executive Committee that the control targets listed Table-1 and the associated activities have been met;
- d) Ensuring that technical reviews undertaken by UNDP are undertaken by appropriate independent technical experts;

- e) Assisting Iran in preparation of annual implementation programmes, which will incorporate achievements in previous annual programmes;
 - f) Carrying out required supervision missions;
 - g) Ensuring the presence of an operating mechanism to enable effective, transparent implementation of the programme, and accurate data reporting;
 - h) Verifying to the Executive Committee that CFC consumption phase-out in the Refrigeration (Manufacturing) Sector has been completed based on the schedules listed in Table-1;
 - i) Ensuring that disbursements are made to Iran based on agreed performance targets in the project and provisions in this Agreement;
 - j) Providing assistance for policy, management and technical support for implementation of the Sector Phase-out Plan, as and when required.
9. The Government of Iran also commits through this Agreement, to permanently sustain the reductions indicated in Table-1.

C

Dpage * arabic0111

TECHNICAL REVIEW.

1. Country:

Iran.

2. Project Title:

Sector phaseout plan for CFCs in the refrigeration (manufacturing) sector in Iran.

3. (Sub)Sector:

Refrigeration. Rigid foam.

This review only covers the foam part.

4. CP-Relationship:

Iran ratified the Vienna Convention and the Montreal protocol in 1990. The CP was prepared in 1993 with the aim to eliminate OSD, whereby priority was given to the foam and refrigeration sectors.

The Ozone Layer Protection Center supervises and coordinates phaseout efforts through the adoption of the strategy formulated by the National Ozone Committee, in cooperation with the consuming and supplying industries, and helped by the implementing agencies.

Complete phaseout is now foreseen early 2007.

5. Technology:

In order to eliminate the remaining ODS in the refrigeration manufacturing sector, this project foresees a combination of investment, technical support and policy, and managing components.

Under the first heading, and for the mediumsized enterprises, individual subprojects covering 25 companies are foreseen, which can be split up into domestic (13 units) and commercial refrigeration (12 units).

The small enterprises count 2 group subprojects, respectively with 30 and 25 companies, the latter group having no foaming baseline.

In all projects, CFC 11 will be substituted with HCFC 141b. The justification is acceptable (as mentioned in 5.4), if it is considered as an interim step to a zero ODS solution.

□

□page * arabic□22□

The technical changes, as explained under 4.1.1, as well as the technical assistance (as clarified under 4.1.2, 4.1.3 and 4.1.4) are correct.

The policy and management support component should foresee further information to the eligible companies as to inform them when a technically and economically zero ODS technology is available in Iran.

6.Environmental Impact:

HCFC 141b has an ODP and a GWP of 0.1 (vs 1.0 for CFC 11). The smog potential is about ten times the one of CFC 11. The emission legislation of Iran must be consulted, and the workplace concentration must be monitored and kept below the legal value.

7.Project Costs:

Both ICC and IOC can be accepted as presented.

8.Implementation:

Can be accepted as presented, but ten quarters seem rather long.

9.Recommendation:

It is recommended to accept the project.

Prepared by Dr. Hubert Creyf, UNDP Foam Sector Reviewer.

Date:092502.



Country: IRAN
Firm: Various
Type: Refrigeration (Manufacturing) Sector Phase-out Plan
Date: September 2002

RTU-UN/Pav-LK-20338-dl

Scope

The plan under review covers the conversion in Iran of the remaining CFC consumption in the manufacturing of all domestic and commercial refrigeration units (it excludes the servicing sector). Only the refrigeration part has been reviewed.

1. Project Objectives and Institutional Framework

No comments regarding this description. The (existing) legislation is adequately described.

2. Description of the Refrigeration Sector

The description of the background and the structure of the refrigeration sector are clear. 3.2.1 "Supply industry" and 3.2.2 "User Industry" give a good overview. In fact, the domestic manufacturing sector to date only deals with a few medium sized manufacturers, the commercial sector deals with a large number of small and medium sized manufacturers. The ODP tonnes (and CE values) given in the tables 1-2/3 are clear. It is useful information to learn that the net refrigeration consumption for 2001 is 1933 ODP tonnes (excluding servicing); a large amount of CFCs has already been addressed in approved projects (about 75%). The conclusion is correct (from the figures given from the survey that are confirming) that a "net" consumption of 389 ODP tonnes (of the consumption in refrigeration in 2001) still needs to be addressed via projects (or a sectoral plan for manufacturing), where a small portion is ineligible. Table 2 gives an adequate description of the historic project information, where the domestic and commercial sectors had a funding level of US\$10.97/ODP kg.

The description of the historical approach (and technology choices) in phasing out as given in sections 3.3.1 and 3.3.2 does not raise questions. The current status as presented in section 3.3.3, particularly regarding the CFC phase-out is adequate. It is useful information to learn that only 20% of the total consumption are for servicing. Chapter 3.4, sections 3.4.1, survey methodology, and 3.4.2, survey results, do not raise comments. Looking at non-eligibility and eligibility is correctly interpreted. Tables 4 and 5 give brief descriptions of the companies concerned (small-sized and medium sized companies), which is supported by sections on "products manufactured", "baseline equipment", "baseline resources" etc. Annex 2, which presents a list of the companies to be addressed, including with baseline information, is in order.

3. Project Description

The plant and process investments material given here is identical to the material given in separate projects before. A brief explanation is given why vacuum pumps cannot be retrofitted (although the list does not really explain issues), which is acceptable. It can be assumed (although there may be exceptions) that the existing refrigerant charging kits are not suitable for HFCs. Under "refrigerant operation" part c it is mentioned "upsizing the condensers and reengineering evaporators and condensers, so as to ensure the levels of cleanliness...". The first is engineering for product performance, the second has to do with the manufacturing process. This needs to be corrected (as far as experience from comparable projects is concerned, this can easily be reworded or changed).

The technical assistance is the important issue. One can assist companies via national consultants and experts, but it should be emphasised that one needs to make provisions that the companies do not stick to the use of CFCs (if they are cheap and available); in fact the small companies are comparable to small servicing companies where the same issue plays an important role. This implies destruction of old equipment, national monitoring, and some kind of certification of the manufacturing people and the products.

Project: IRAN Refrigeration Manufacturing Sector Phaseout Plan

1

This is explicitly mentioned under "technical support component" point c "...sustaining the CFC free technologies". The important issue is the question "how can training and certification guarantee that the non-CFC operations become "sustainable". This is pertinent and is -as mentioned- addressed in section 4.2.

No comments to the management component description. This management could indeed be part of the system that guarantees that operations are CFC free, and one should attribute to this management component a clear reporting requirement on all kind of phenomena (verification of CFC phase-out, reporting system of CFCs and substitutes etc.).

4. Technology

The summary of the selection of the alternative technology for conversion is brief and adequate. The proposal gives a short overview of the refrigerant candidates for domestic/commercial refrigerators, i.e. HCF-134a, HFC-152a, propane and isobutane and their mixture (1:1). In fact, only, HFC-134a (R-404A) and isobutane are globally valid options for new equipment; it is acceptable that the proposal mentions that flammables are not suited for the SME operations considered here. The choice for HFC-134a (R-404A) is acceptable.

5. Environmental impact

The refrigerant HFC-134a (R-404A) proposed has no ODP and acceptable other environmental characteristics.

6. Project costs

The following to the project costs:

Incremental capital and operating costs and contingencies etc. amount to US\$4.632 million, with a CE of 13.00/kg ODP. If this is compared to the cost effectiveness of historical approvals for medium or small commercial and domestic firms, being about US\$10.97 (see Annex 1 in the proposal), one can observe that the CE value in this proposal is about 16% higher, which is rather difficult to explain in general terms (mainly due to costs for foaming equipment).

No comments to Annex 1 and Annex 2. The values mentioned in the Summary of Annex 2 are consistent.

Costs given per company for domestic refrigeration manufacturers (US\$27,000 per company, Annex 3) and for small and medium sized enterprises in the commercial sub-sector (US\$8,000 and 13,500 per commercial refrigeration company for the refrigerant operation presented in Annex 3) are acceptable. The calculation of operational costs on the basis of the chemical only is acceptable (Annex 3). No comments to the cost effectiveness calculation.


Costs for quality and product standards consultancy are acceptable (it cannot be judged whether it should be more than US\$500 per day); the same applies to the policy component (it cannot be judged whether it should be US\$100 per day).

7. Implementation time frame (disbursement schedule)

No comments. The draft agreement cannot be commented to.

8. Recommendation

The conversion project is supported where it concerns the entire project concept (for the refrigeration components) and the various elements, both investment and non-investment activities.



Eindhoven, 02 09 25
Kuijpers, LJM

C:\text-general\project\wundp753

Project: IRAN Refrigeration Manufacturing Sector Phaseout Plan

2



Islamic Republic of Iran
Department of Environment

Ref:.....

Date:.....

In the name of God

Montreal Protocol Unit
United Nations Development Programme
304 East 45th Street
New York, NY 10017

Subject : Submission of ODS phase-out projects for the 37th Meeting of the Executive Committee of the Multilateral Fund

Dear Sirs,

The Government of the Islamic Republic of Iran hereby requests UNDP to submit projects listed below to the 37th Meeting of the Executive Committee of the Multilateral Fund for the Implementation of the Montreal Protocol.

Name of Project	Type of ODS	ODS Consumption (ODP-MT)	ODS Phase-out (ODP-MT)	Implementing Agency
Group (Pajang, Azizian)	CFC-11, CFC-12	9.79	9.28	UNDP
Ali Felez	CFC-11, CFC-12	8.62	8.14	UNDP
Nik Boroudati & Hararati	CFC-11, CFC-12	26.75	25.12	UNDP
Nik Sard	CFC-11, CFC-12	15.06	14.35	UNDP
Niksun Sanaat	CFC-11, CFC-12	16.19	15.21	UNDP
Ouj Bouran	CFC-11, CFC-12	12.79	12.00	UNDP

ODS Consumption Data

1. The ODS consumption figures of the projects have been validated by the Ozone Layer Protection Unit of Iran, our national ozone unit.
2. The ODS consumption data have been retained in the records of the Ozone Layer Protection Unit for reference and/or future verification.
3. The Government has been advised by Ozone Layer Protection Unit that the agreement to the projects indicates a commitment to ensure that the validated ODS phase-out figures will realize a sustained reduction from

Other Actions

4. It is understood that in accordance with the relevant guidelines, the funding received for a project, would be partially or fully returned to the Multilateral Fund, in cases

Environmental Research Center, Pardissan Park, Hemmat Highway, PO. Box 14665/159
Tehran, IRAN Tel 9821-8261116 Fax: 9821-8261117 e.mail : Ozone@Accir.com



Islamic Republic of Iran
Department of Environment

Ref:.....

Date:.....

In the name of God

where technology will be changed during implementation without informing the Multilateral Fund Secretariat and/or without approval from the Executive Committee.

5. Ozone Layer Protection Unit undertakes to monitor closely, in cooperation with the customs authorities and the environmental protection authorities, the imports of CFCs and to combine this monitoring with periodic plant visits, for checking unauthorized use of CFCs.
6. Wherever applicable, Ozone Layer Protection Unit will cooperate with UNDP to conduct safety inspections and keep records of fires arising from conversion projects.

HCFC Justification

7. In line with Decision 27/13 of the Executive Committee and in recognition of Article 2F of the Montreal Protocol, the Government of Iran:
 - i) Has reviewed the specific situations involved with the projects mentioned above as well as its HCFC commitments under Article 2F.
 - ii) Has nonetheless determined that at the present time, the projects need to use HCFCs for an interim period with the understanding that no funding would be available for future conversion from HCFCs, for the enterprises involved.

Yours Sincerely
Dr. Yousef Hojjat

National Project Director and
Deputy Head of Department of Environment

May 22, 2002

Environmental Research Center, Pardissan Park, Hemmat Highway, PO. Box 14665/159
Tehran, IRAN Tel 9821-8261116 Fax: 9821-8261117 e.mail : Ozone@Accir.com



Ref: OZ/5925.....
Date: May 2002

Islamic Republic of Iran
Department of Environment
Human Environment Affairs

In the name of God

Government Note of transmittal of investment projects to the executive committee of the multilateral fund for the implementation of the montreal protocol

The Government of the Islamic Republic of Iran requests UNIDO to submit the project(s) listed in Table 1 below to the Executive Committee of the Multilateral Fund for the implementation of the Montreal Protocol for consideration at its 37th Meeting.

Section I: ODS Consumption Data

The ODS consumption figures of the projects has/have been validated by the National Ozone Unit (NOU).

The consumption data have been retained in the records of the NOU for reference and/or future verification.

The Government has been advised by the NOU that the agreement to the projects indicates a commitment to ensure that the validated phase out figures were realized and yielded a sustained reduction from the 2001 consumption of 53.85 ODP tonnes for the refrigeration sector.

Table 1: Projects Submitted to the 37th Meeting of the Executive Committee by UNIDO

Project Title/Sector	Type of ODS	Consumption (ODP Tonnes), (2001)	Amount to be Phased Out (ODP Tonnes), (2004)
Refrigeration Sector			
Phasing out CFC-11 by conversion to HCFC-141b and CFC-12 to HFC-134a technology in the manufacture of commercial refrigeration equipment at the first medium size umbrella group of Iranian Commercial Refrigeration Manufacturers (Steel Work Co., Abbas Ali Nazari & Share Holders "Yakhtnoosh Co.", Sard va Garm Sazi Pars Sasan Co., Momtaz Gharb Co. and Sard Sozan Kavir Kerman)	CFC-11 & CFC-12	53.85	51.60
Total		53.85	51.60



Islamic Republic of Iran
Department of Environment
Human Environment Affairs

Ref: OZ/1925.....
Date: 5/10/2002

In the name of God

Section II: Other Relevant Actions Arising from Decision 33/2

It is understood that, in accordance with the relevant guidelines, the funding received for a project would be partly or fully returned to the Multilateral Fund in cases where technology was changed during implementation of the project without informing the Fund Secretariat and without approval by the Executive Committee;

The National Ozone Unit undertakes to monitor closely, in cooperation with customs authorities and the environmental protection authorities, the importation and use of CFCs and to combine this monitoring with occasional unscheduled visits to importers and recipient manufacturing companies to check invoices and storage areas for unauthorized use of CFCs.

The National Ozone Unit will cooperate with the relevant implementing agencies to conduct safety inspections where applicable and keep reports on incidences of fires resulting from conversion projects.

Section III: Projects Requiring the Use of HCFCs for Conversion

In line with Decision 27/13 of the Executive Committee and in recognition of Article 2F of the Montreal Protocol, the Government

has reviewed the specific situations involved with the projects; *Steel Work Co., Yakhnoosh Co., Sard va Garm Sazi Pars Sasan Co., Momtaz Ghurb Co. and Sard Sazan Kavir Kerman Co.* as well as its HCFC commitments under Article 2F; and

has nonetheless determined that, at the present time, the projects needed to use HCFCs for an interim period with the understanding that no funding would be available for the future conversion from HCFCs for the companies involved.

Ozone Office-Environmental Research Center-Pardisan Park-Hemmat Highway-Tehran, Iran PO.Box 14665/159
Fax: (+ 9821) 8261117 Tel: (+9821) 8261116 e.mail: Ozoneoffice@accir.gov

PHONE NO. : 009821 8261117
MAY 6, 2002 11:23PM P 8

TO :
PHONE NO. : 00431262668804
FROM : OZONE OFFICE (IRAN)



Islamic Republic of Iran
Department of Environment
Human Environment Affairs

Ref: OZ/125
Date: 5 May 2002

In the name of God

Name and signature of responsible Officer:

Y. Hassani

Designation:

Date: 4 May 2002

Deputy Head of the Department for Human
Environment Affairs and the Ozone National
Project Director

Telephone: (+9821) 8261116

Fax: (+9821) 8261117

E-mail: ozone@accir.com

Ozone Office-Environmental Research Center-Pardisan Park-Hemmat Highway-Tehran,Iran PO.Box 14665/159
Fax: (+ 9821) 8261117 Tel: (+9821) 8261116 e.mail: Ozoneoffice@accir.com

PHONE NO. : 009821 8261117
MAY. 6. 2002 1:24PM P 9

PHONE NO. : 004312622668804
TO : OZONE OFFICE (IRAN)

Ref: OZ/ 5987
 Date: 5 May 2002



Islamic Republic of Iran
 Department of Environment
 Human Environment Affair

In the name of God

Government Note of transmittal of investment projects to the executive committee of the multilateral fund for the implementation of the montreal protocol

The Government of the Islamic Republic of Iran requests UNIDO to submit the project(s) listed in Table 1 below to the Executive Committee of the Multilateral Fund for the Implementation of the Montreal Protocol for consideration at its 37th Meeting.

Section I: ODS Consumption Data

1. The ODS consumption figures of the projects has/have been validated by the National Ozone Unit (NOU).
2. The consumption data have been retained in the records of the NOU for reference and/or future verification.
3. The Government has been advised by the NOU that the agreement to the projects indicates a commitment to ensure that the validated phase out figures were realized and yielded a sustained reduction from the 2001 consumption of 48.952 ODP tonnes for the refrigeration sector.

Table 1: Projects Submitted to the 37th Meeting of the Executive Committee by UNIDO

Project Title/Sector	Type of ODS	Consumption (ODP Tonnes), (2001)	Amount to be Phased Out (ODP Tonnes), (2004)
Refrigeration Sector			
Phasing out CFC-11 by Conversion to HCFC-141b and CFC-12 to HFC-134a Technology in the Manufacture of Domestic Refrigeration Equipment in the First Medium Size Umbrella Group of Iranian Domestic Refrigeration Manufacturers (Mohammad Zadeh Industrial Group, Kavir Yazd Surma Co., Sarshar Broudat Co. "Sonya") / Dom.	CFC-11 & CFC-12	48.952	47.049
Total		48.952	47.049

Ozone Office-Environmental Research Center-Paradise Park-Hemmat Highway-Tehran,Iran PO.Box 14665/159
 Fax: (+9821) 8261117 Tel: (+9821) 8261116 e.mail: Ozoneoffice@accir.com

PHONE NO. : 009821 8261117
 FAX: 7.2002 1:45PM P 6

PHONE NO. : 00431213463391
 FROM : OZONE OFFICE (IRAN)



**Islamic Republic of Iran
Department of Environment
Human Environment Affair**

Ref: OZ... 59 8 Z.....
Date: 17 May 2002

In the name of God

Section II: Other Relevant Actions Arising from Decision 33/2

4. It is understood that, in accordance with the relevant guidelines, the funding received for a project would be partly or fully returned to the Multilateral Fund in cases where technology was changed during implementation of the project without informing the Fund Secretariat and without approval by the Executive Committee;
5. The National Ozone Unit undertakes to monitor closely, in cooperation with customs authorities and the environmental protection authorities, the importation and use of CFCs and to combine this monitoring with occasional unscheduled visits to importers and recipient manufacturing companies to check invoices and storage areas for unauthorized use of CFCs.
6. The National Ozone Unit will cooperate with the relevant implementing agencies to conduct safety inspections where applicable and keep reports on incidences of fires resulting from conversion projects.

Section III: Projects Requiring the Use of HCFCs for Conversion

7. In line with Decision 27/13 of the Executive Committee and in recognition of Article 2F of the Montreal Protocol, the Government
 - (i) has reviewed the specific situations involved with the projects; Mohammad Zadeh Industrial Group., Kavir Yazd Sarma Co., Sarshar Broudat Co. "Sonya" as well as its HCFC commitments under Article 2F; and
 - (ii) has nonetheless determined that, at the present time, the projects needed to use HCFCs for an interim period with the understanding that no funding would be available for the future conversion from HCFCs for the companies involved.

Ozone Office-Environmental Research Center-Pardisan Park-Hemmat Highway-Tehran,Iran PO.Box 14665/159
Fax: (+ 9821) 8261117 Tel: (+9821) 8261116 e.mail: Ozoncoffice@accir.com

PHONE NO. : 009821 8261117
MAY. 7. 2002 1:16PM P 7

PHONE NO. : 00431213463391
TO :
FROM : OZONE OFFICE (IRAN)

REF: 5282
Date: 4 May 2002

Islamic Republic of Iran
Department of Environment
Human Environment Affair

In the name of God

Name and signature of responsible Officer:

Y. Hajjati

Designation:

Date: 4 May 2002

Deputy Head of the Department for Human
Environment Affair and the Ozone National
Project Director

Telephone: (+9821) 8261116

Fax: (+9821) 8261117

E-mail: ozone@occir.com

Ozone Office-Environmental Research Center-Pardisan Park-Hemmat Highway-Tehran,Iran PO.Box 14665/159
Fax: (+9821) 8261117 Tel: (+9821) 8261116 e-mail: Ozoneoffice@occir.com

PHONE NO. : 009821 8261117
MAY. 7. 2002 1:41PM P 9

PHONE NO. : 00431213463391
FROM : OZONE OFFICE (IRAN)



Ref... 02/7366.....

Date... 18 Sept 2002

Islamic Republic of Iran
Department of Environment
Ozone Layer Protection Unit

In the name of God

38th Meeting of the Executive Committee of the Multilateral Fund for the Implementation of the Montreal Protocol

GOVERNMENT NOTE OF TRANSMITTAL OF INVESTMENT PROJECTS TO THE EXECUTIVE COMMITTEE OF THE MULTILATERAL FUND FOR THE IMPLEMENTATION OF THE MONTREAL PROTOCOL

PROJECT(S) OF THE GOVERNMENT OF THE ISLAMIC REPUBLIC OF IRAN

The Government of Islamic Republic of Iran requests UNIDO to submit the projects listed in Table 1 below to the Executive Committee of the Multilateral Fund for the Implementation of the Montreal Protocol for consideration at its 38th Meeting.

Section I: ODS Consumption Data

1. The ODS consumption figure of the projects have been validated by the National Ozone Unit (NOU).
2. The consumption data have been retained in the records of the NOU for reference and/or future verification.
3. The Government has been advised by the NOU that the agreement to the project indicates a commitment to ensure that the validated phase-out figure was realized and yielded a sustained reduction from the 2001 consumption of ODP tonnes for the refrigeration sector

Table 1: Projects to be Submitted to the 38th Meeting of the Executive Committee by UNIDO

Project Title/Sector	Type of ODS	Consumption (ODP Tonnes). (2001)	Amount to be Phased Out (ODP Tonnes). (2004)
Refrigeration Sector			
Phasing out CFC_11 by conversion to HCFC_141b And CFC_12 TO HFC-134a technology in the manufacture of domestic refrigeration equipment at the first medium sized umbrella Group of Iranian Domestic Refrigeration Manufacturers Fanavar Novin Persia Co., Milad Khorram Co., Babak Ind. Co., Arminco Co.	CFC-11, CFC-12	50.96	48.87
Total			

Section II: Other Relevant Actions Arising from Decision 33/2

4. It is understood that, in accordance with the relevant guidelines, the funding received for a project would be partly or fully returned to the Multilateral Fund in cases where technology was changed during implementation of the project without informing the Fund Secretariat and without approval by the Executive Committee;

Projects of the Government of the Islamic republic of Iran

Date:

(Page 1 of 2)

Environmental Research Center, Pardissan Park, Hemmat Highway, P.O. Box 14665/159
Tehran, IRAN Tel 9821-8261116 Fax: 9821-8261117 e.mail : Ozone@accir.com



Islamic Republic of Iran
Department of Environment
Ozone Layer Protection Unit

Ref:.....

Date:.....

In the name of God

38th Meeting of the Executive Committee of the Multilateral Fund for the Implementation of the Montreal Protocol

5. The National Ozone Unit undertakes to monitor closely, in cooperation with customs authorities and the environmental protection authorities, the importation and use of CFCs and to combine this monitoring with occasional unscheduled visits to importers and recipient manufacturing companies to check invoices and storage areas for unauthorized use of CFCs.
6. The National Ozone Unit will cooperate with the relevant implementing agencies to conduct safety inspections where applicable and keep reports on incidences of fires resulting from conversion projects.

Section III: Projects Requiring the Use of HFCs for Conversion

7. In line with Decision 27/13 of the Ex Com and in recognition of Article 2F of the Montreal Protocol, the Government
- (a) has reviewed the specific situation involved with the projects: Fanavar Novin Persia Co., Milad Khorram Co., Babak Ind. Co., Arminco Co. as well as their HCFC commitments under Article 2F; and
- (b) has nonetheless determined that, at the present time, the projects needed to use HCFCs for an interim period with the understanding that no funding would be available for the future conversion from HCFCs for the companies involved.

Name and signature of responsible Officer :

Fereidoun Rostami

Designation: Ozone Office Manager

Date: 18 September 2002

Address:

*Environment Research Center, Pardissan Park, Hemmat Highway,
Ozone Layer Protection Unit*

PO. Box 14665/159

Tehran - IRAN

Telephone: +98 21 826 1116

Fax: +98 21 826 1117

E-mail: Ozone@accir.com

Projects of the Government of the Islamic republic of Iran

Date: 18.9.02

(Page 2 of 2)

*Environmental Research Center, Pardissan Park, Hemmat Highway, PO. Box 14665/159
Tehran.IRAN Tel 9821-8261116 Fax: 9821-8261117 e.mail: Ozone@accir.com*

38th Meeting of the Executive Committee of the Multilateral Fund for the Implementation of the Montreal Protocol

**GOVERNMENT NOTE OF TRANSMITTAL OF INVESTMENT PROJECTS
TO THE EXECUTIVE COMMITTEE OF THE MULTILATERAL FUND
FOR THE IMPLEMENTATION OF THE MONTREAL PROTOCOL**

PROJECT OF THE GOVERNMENT OF THE ISLAMIC REPUBLIC OF IRAN

The Government of Iran requests UNDP to submit the project(s) listed in Table 1 below, to the Executive Committee of the Multilateral Fund for the Implementation of the Montreal Protocol for consideration at its 38th Meeting.

Section I: ODS Consumption Data

1. The ODS consumption figure of the project has been validated by the Ozone Layer Protection Center.
2. The consumption data have been retained in the records of the Ozone Layer Protection Center for reference and/or future verification.
3. The Government has been advised by the Ozone Layer Protection Center that the agreement to the project indicates a commitment to ensure that the validated phase-out figure would be realized and would yield a sustained reduction from the CY 2001 consumption of 2,268 ODP MT for the Refrigeration Sector.

Table 1: Project Submitted to the 38th Meeting of the Executive Committee

Project Title	Sector/Sub-Sector	ODS Phase-out (ODP MT)	Implementing Agency
Sector Phase-out Plan for CFCs in the Refrigeration (Manufacturing) Sector in Iran	Refrigeration Sector (excluding Servicing)	372	UNDP

Section II: Other Relevant Actions Arising from Decision 33/2

4. It is understood that, in accordance with the relevant guidelines, the funding received for a project would be partly or fully returned to the Multilateral Fund in cases where technology is changed during implementation of the project without informing the Fund Secretariat and without approval by the Executive Committee;
5. The Ozone Layer Protection Center undertakes to monitor closely, in cooperation with customs authorities and the environmental protection authorities, the importation and use of CFCs and to combine this monitoring with occasional unscheduled visits to importers and recipient manufacturing companies to check invoices and storage areas for unauthorized use of CFCs.
6. The National Ozone Unit will cooperate with the relevant implementing agencies to conduct safety inspections where applicable and keep reports on incidences of fires resulting from conversion projects.


38th Meeting of the Executive Committee of the Multilateral Fund for the Implementation of the Montreal Protocol

Section III: Projects Requiring the Use of HCFCs for Conversion

7. In line with Decision 27/13 of the Executive Committee and in recognition of Article 2F of the Montreal Protocol, the Government

- (i) has reviewed the specific situations involved with the recipients/participants in this project, as well as its HCFC commitments under Article 2F; and
- (ii) has nonetheless determined that, at the present time, the project needs to use HCFCs for an interim period with the understanding that no funding would be available for the future conversion from HCFCs for the recipients/participants involved.

Signature:



Date:

25 September 2002

Name:

Dr. Yousef Hojjat

Designation:

Deputy Head, Department of Environment

Telephone:

98-21-8267991

Fax:

98-21-8267990

Email:

ozone@accir.com