



**Programme des  
Nations Unies pour  
l'environnement**



Distr.  
GÉNÉRALE

UNEP/OzL.Pro/ExCom/59/16  
9 octobre 2009

FRANÇAIS  
ORIGINAL: ANGLAIS

COMITÉ EXÉCUTIF  
DU FONDS MULTILATERAL AUX FINS  
D'APPLICATION DU PROTOCOLE DE MONTRÉAL  
Cinquante-neuvième réunion  
Port Ghalib, Égypte, 10 - 14 novembre 2009

**AMENDEMENTS DU PROGRAMME DE TRAVAIL DE  
LA BANQUE MONDIALE POUR 2009**

## OBSERVATIONS ET RECOMMANDATION DU SECRÉTARIAT DU FONDS

1. La Banque mondiale demande au Comité exécutif d'approuver 315 000 \$US, plus des coûts d'appui d'agence de 23 625 \$US, pour des amendements de son programme de travail de 2009.
  
2. Le Tableau 1 ci-après indique les activités proposées dans les amendements du programme de travail de la Banque mondiale :

Tableau 1: Amendements du programme de travail de la Banque mondiale

Pays	Activité/Projet	Montant demandé (\$US)	Montant recommandé (\$US)
<b>SECTION A: ACTIVITÉS RECOMMANDÉES POUR APPROBATION GÉNÉRALE</b>			
<b>A1. Préparation de projet of PGEH (partie investissement)</b>			
Philippines	Préparation des activités d'investissement dans le secteur de la climatisation	65 000	65 000
	Sous-total pour A1:	65 000	65 000
<b>SECTION B: ACTIVITÉS RECOMMANDÉES POUR EXAMEN INDIVIDUEL</b>			
<b>B1. Assistance technique:</b>			
Mondial	Mobilisation de ressources pour des avantages climatiques connexes dans l'élimination des HCFC	250 000	*
	Sous-total pour B1:	250 000	
Total pour les sections A et B		315 000	65 000
Coûts d'appui de l'agence (7,5 % pour la préparation de projet, le renforcement des institutions et pour d'autres activités d'une valeur supérieure à 250 000 \$US, et 9 % pour d'autres activités d'une valeur inférieure à 250 000 \$US):		23 625	4 875
Total:		338 625	69 875

\*Projet pour examen individuel ou en suspens.

### **SECTION A: ACTIVITÉS RECOMMANDÉES POUR APPROBATION GÉNÉRALE**

#### **A1. Financement des activités de préparation de projets :**

Philippines: Préparation de projets d'investissement du PGEH (secteur de la climatisation domestique): 65 000 \$US

#### **Description du projet**

3. La Banque mondiale a demandé des fonds supplémentaires pour la préparation d'activités d'investissement au nom du gouvernement des Philippines dont le financement de la préparation de PGEH a été approuvé à la 55<sup>e</sup> réunion pour un montant de 195 000 \$US. Dans sa soumission, la Banque mondiale a donné des informations sur la consommation de HCFC du pays et sur le secteur particulier pour lequel le financement d'investissement est demandé. Elle a également expliqué comment ce plan sectoriel sera lié à un PGEH d'ensemble, puisque plusieurs agences travaillent dans les différents secteurs dans le pays.

## **Observations du Secrétariat**

4. Le Secrétariat a examiné en détails la soumission de la Banque mondiale et a noté que cette activité ne figurait pas dans le plan d'activités de 2009 de la Banque, qui avait été approuvé à la 57<sup>e</sup> réunion. En réponse à sa demande de précisions, il a été informé qu'il s'agissait d'une demande spécifique du pays, selon laquelle, conformément à la décision 56/16 et en fonction de la consommation de 180,2 tonnes PAO des Philippines en 2007, le pays avait droit à un montant maximal de 200 000 \$US pour la préparation de projets pour la partie investissement du PGEH. Durant son examen, le Secrétariat a noté que des montants similaires ont été demandés pour les secteurs des mousses et de la réfrigération (à l'exception de la climatisation domestique), et que le montant total demandé est conforme aux critères d'admissibilité du pays en vertu de la décision 56/16. Il est noté par ailleurs que le pays a consulté divers organismes participant au processus de préparation du PGEH, et qu'il y avait une entente claire sur le partage des responsabilités entre eux. Le Secrétariat est également convenu que cette demande, bien que ne figurant pas dans le plan d'activités de la Banque, pouvait néanmoins être examinée par le Comité exécutif, car elle était conforme à la décision 56/16 et ne soulevait aucun problème de politique.

## **Recommandations du Secrétariat**

5. Le Secrétariat recommande l'approbation générale de la demande concernant la préparation des activités d'investissement pour le secteur de la climatisation domestique, liée au PGEH des Philippines, pour un montant de 65 000 \$US.

## **SECTION B: ACTIVITÉS RECOMMANDÉES AUX FINS D'EXAMEN INDIVIDUEL**

### **B1. Assistance technique**

Mondial: Mobilisation de ressources pour l'élimination de HCFC et les co-avantages climatiques  
250 000 \$US

#### **Description du projet**

6. La Banque mondiale avait soumis aux 57<sup>e</sup> et 58<sup>e</sup> réunions une demande pour un projet d'assistance technique visant à mobiliser des ressources afin de maximiser les avantages climatiques découlant de l'élimination des HCFC, à un niveau de financement de 250 000 \$US. La Banque mondiale soumet de nouveau cette demande à la présente réunion. Sa proposition comprend une note conceptuelle décrivant les objectifs, les activités et les résultats escomptés du projet. La proposition est soumise de nouveau, sans changement par rapport aux informations présentées à la 58<sup>e</sup> réunion.

7. Selon la Banque mondiale, le projet vise à étudier les options permettant d'éviter un accroissement de la demande de HFC ou de tout autre gaz avec un potentiel de réchauffement global (PRG) élevé dans le secteur de la consommation à la suite de l'élimination des HCFC dans les pays en développement. L'étude passera en revue et examinera des mécanismes potentiels disponibles pour financer la transition vers des solutions de remplacement à faible PRG, notamment un calendrier d'élimination des HFC dans les pays en développement et les pays à économie en transition. Le projet se penchera également sur les limites technologiques et les compromis à réaliser entre les gains d'efficacité énergétique et les gaz à faible PRG, de façon à maximiser l'ensemble des avantages énergétiques.

8. L'étude abordera les questions suivantes : i) coûts et obstacles liés à la conversion de la technologie à base de HCFC à des solutions de remplacement à faible PRG; ii) volumes de HFC et autres solutions de remplacement d'équivalents CO<sub>2</sub> liées à la consommation et à la production de HCFC dans

les pays en développement, incluant les sous-produits d'autres procédés chimiques; iii) sources potentielles de financement (telles que le Fonds multilatéral, la CCNUCC, le marché de crédits de carbone négociables, les fonds de partenariat pour le carbone, le Fonds des technologies propres, etc.) pour appuyer l'adoption de meilleures pratiques de confinement des HCFC, et les technologies sans risque pour le climat. L'étude contiendra en outre une recommandation des méthodes de financement, ainsi que des démarches visant l'évaluation de la consommation de référence et la production de HFC et le calendrier d'élimination. En outre, le projet examinera des modalités effectives de mise en œuvre de ces activités, afin d'assurer la synergie entre les activités financées au titre du Fonds multilatéral et celles qui pourraient éventuellement être financées par d'autres sources.

9. La Banque mondiale a indiqué qu'elle établira dans un premier temps le mandat détaillé de l'étude, qui sera soumis à l'examen du Comité exécutif, une fois tranchée la question de la mobilisation des ressources. Le mandat servira de base à l'étude dont le financement est demandé et prendra 12 mois de travail. Le rapport final de l'étude sera soumis au Comité exécutif dès qu'il sera terminé.

10. Le tableau ci-après est une ventilation de l'utilisation des 250 000 \$US demandés par la Banque mondiale:

<b>Élément</b>	<b>Description</b>	<b>\$US</b>
Volume potentiel de réduction d'émissions équivalentes de dioxyde de carbone	Examen des applications actuelles de HCFC et des solutions de remplacement disponibles; analyses de marché sur la pénétration des diverses solutions de recharge (PRG élevé et faible) et estimations des avantages découlant d'un meilleur rendement énergétique (compte tenu des travaux en cours du TEAP et de l'OORG)	35 000
Obstacles à la conversion des technologies à base de HCFC avec un rendement énergétique et une efficacité environnementale de base, à des solutions de recharge à faible PRG présentant un rendement énergétique et une efficacité environnementale supérieurs	Enquête industrielle dans un nombre sélectionné de pays visés à l'article 5 et à l'article 2 qui sont d'importants fournisseurs de technologies pour chacune des applications à base de HCFC	50 000
Consommation et production de HCFC	Enquête industrielle axée sur les producteurs de produits chimiques dans les pays visés à l'article 5 et dans les autres pays; analyse de marché pour la prévision de tendances	10 000
Sources potentielles de financement	Examen d'activités ou de projets existants financés par divers mécanismes de financement; examen des méthodologies MDP et non MDP existantes; entrevue avec des bénéficiaires potentiels dans les pays visés à l'article 5; identification de sources potentielles de financement; élaboration d'approches et de modèles de projet pour obtenir ces ressources	55 000
Élaboration de critères/normes/méthodes de financement	Élaboration d'outils pour capter des ressources de co-financement extérieures au FML	70 000
Réunion de consultation avec des parties prenantes	3 réunions de consultation	30 000
<b>Total</b>		<b>250 000</b>

## **Observations du Secrétariat**

11. Dans sa décision XIX/6, paragraphe 11, alinéa b), la dix-neuvième Réunion des Parties est convenue que le Comité exécutif, lorsqu'il examinera des projets d'élimination des HCFC, accordera la priorité, entre autres, aux « produits et solutions de remplacement qui réduisent au minimum les autres impacts sur l'environnement, en particulier sur le climat, en tenant compte de leur potentiel de réchauffement global, de leur consommation d'énergie et d'autres facteurs pertinents ». À sa 54<sup>e</sup> réunion, le Comité exécutif a adopté une série de lignes directrices pour la préparation de plans de gestion de l'élimination de HCFC (PGEH) et, à ses 55<sup>e</sup> et 56<sup>e</sup> réunions, il a approuvé des fonds pour la préparation de PGEH dans 115 pays. Les lignes directrices convenues dans la décision 54/39 incluent la condition, pour les pays visés à l'article 5, d'envisager des incitations financières et des possibilités de cofinancement dans leurs PGEH finals, qui permettraient d'assurer que l'élimination des HCFC apportent des avantages, conformément au paragraphe 11, alinéa b) de la décision XIX/6 mentionnée plus haut.

12. Le Secrétariat note également que les résultats de l'étude proposée par la Banque mondiale n'étant disponibles qu'en 2010, voire à une date ultérieure, il ne peut aider les pays qu'en donnant des directives aux agences pour la mise en œuvre de l'étape 1 du PGEH et en examinant leurs options de co-financement pour la préparation de l'étape 2, le cas échéant. Le Secrétariat note par ailleurs que le Comité exécutif n'a pas fourni jusqu'ici d'orientations sur la manière de chiffrer les coûts des avantages climatiques de l'élimination des HCFC, ni indiqué si ces coûts pouvaient être considérés comme des surcoûts dans le cadre du Fonds multilatéral.

13. Le Comité exécutif a examiné à sa 57<sup>e</sup> réunion un mécanisme de revenus supplémentaires provenant de prêts et d'autres sources (document UNEP/OzL.Pro/ExCom/57/64), et a demandé, dans sa décision 57/37, que le Secrétariat prépare une analyse approfondie de ce mécanisme qu'il soumettra à son examen à sa 58<sup>e</sup> réunion.

14. À sa 58<sup>e</sup> réunion, le Comité exécutif a décidé (décision 58/37) entre autres de reporter à une réunion ultérieure l'examen de cette proposition et d'autres propositions similaires. La proposition n'a donc pas été examinée à la 58<sup>e</sup> réunion. Le Secrétariat constate que la proposition est soumise de nouveau à l'examen du Comité exécutif à sa 59<sup>e</sup> réunion, conformément aux délibérations au titre du point 11 de l'ordre du jour — Mécanismes de financement spéciaux destinés à garantir des revenus supplémentaires provenant de prêts et d'autres sources. Enfin, le Secrétariat note que, dans sa décision 58/37, le Comité exécutif a aussi accepté l'offre de la Banque mondiale de présenter « des mécanismes, tels que les engagements prévisionnels, pour favoriser le financement supplémentaire et intégrer les sommes du Fonds multilatéral au financement du carbone. »

## **Recommandation du Secrétariat**

15. Le Comité exécutif est invité à examiner cette proposition à la lumière des informations présentées ci-dessus et des débats menés au titre du point 11 de l'ordre du jour — Mécanismes de financement spéciaux destinés à garantir des revenus supplémentaires provenant de prêts et d'autres sources.



# **2009 WORK PROGRAM AMENDMENT**

**PRESENTED TO THE 59<sup>th</sup> MEETING  
OF THE EXECUTIVE COMMITTEE**

**WORLD BANK IMPLEMENTED  
MONTREAL PROTOCOL OPERATIONS**

**September 23, 2009**

**WORK PROGRAM AMENDMENT FOR  
WORLD BANK-IMPLEMENTED MONTREAL PROTOCOL OPERATIONS**

1. The World Bank 2009 – 2011 Business Plan and the 2009 Work Program were submitted for the consideration of the 57<sup>th</sup> Meeting of the Executive Committee (ExCom) in March 2009. The 2009 -2011 Business Plan includes, among others, three renewals of existing institutional strengthening projects, one global study on resource mobilization to maximize climate benefits from HCFC phase-out, four demonstration projects, and three pilot ODS disposal projects.
2. The funding requests for preparation of the global study on resource mobilization, four demonstration projects, and three pilot ODS disposal projects were made as part of the 2009 Work Program submission for the consideration of the 57<sup>th</sup> Meeting of the ExCom.
3. At the 57<sup>th</sup> Meeting of the ExCom, project preparation funds for three demonstration projects for China, and two pilot ODS disposal projects for Indonesia and the Philippines, were approved. The proposed pilot ODS disposal project for Mexico was subsequently approved at the 58<sup>th</sup> Meeting of the ExCom.
4. With regard to the proposed global study on resource mobilization to maximize climate benefits from HCFC phase-out, the ExCom decided that the activity should be maintained in the World Bank 2009 – 2011 Business Plan. The funding request to prepare this study as presented in the 2009 Work Program was not approved at the 57<sup>th</sup> Meeting as this proposal should be considered along with the on-going analysis of the Multilateral Fund Secretariat on the facility for additional income from loans and other sources. The funding request for this activity was resubmitted for the ExCom's consideration at the 58<sup>th</sup> Meeting of the ExCom. Since the ExCom's deliberation on the new funding facility is still on-going, the consideration on the proposed global study on resource mobilization was deferred. Therefore, the Bank is resubmitting this request as part of its 2009 Work Program Amendment for the consideration of the 59<sup>th</sup> ExCom Meeting.
5. This World Bank 2009 Work Program Amendment proposes funding requests to support the following activities: (i) project preparation funds for development of an air-conditioning sector plan for the Philippines; and (ii) preparation funds for conducting the global study on resource mobilization.
6. Descriptions of four work program activities are included in Table 1.

**Table 1: Project Preparation Funding Requests Submitted for Consideration of the 59<sup>th</sup> Meeting of the Executive Committee**

<b>Country</b>	<b>Request (US\$)</b>	<b>Duration</b>	<b>Description</b>
Philippines	65,000	January –	Development of a phase-out plan for the air-conditioning sector

		December 2010	and any other sectors to be identified by the HPMP preparation.
Global	250,000	January – December 2010	Resource Mobilization for HCFC Phase-out Co-benefits (Concept Note and cost breakdown included in Annex I)
Support Cost	23,625		
<b>Total</b>	<b>338,625</b>		

**Annex I**  
**CONCEPT NOTE**  
**RESOURCE MOBILIZATION FOR**  
**MAXIMIZING CLIMATE BENEFITS OF HCFC PHASE-OUT**

**BACKGROUND**

The Montreal Protocol on Substances that Deplete the Ozone Layer has been considered as one of the most successful global environmental treaties, as it has proven to be an effective instrument in bringing down consumption and production of the most potent ozone depleting substances (ODS) by more than 400,000 Mt within the last two decades.<sup>1</sup> Consumption and production of CFCs, halons, and CTC will be completely phased out in less than 12 months, except for a limited quantity for essential uses.

As most ODS are high global warming gases, phase-out of CFCs, halons, and CTC has also brought climate benefits. The Montreal Protocol in the last two decades has resulted in avoided emissions of high global warming gases equivalent to 25 billion tons of CO<sub>2</sub>, in comparison with the 2 billion tons of CO<sub>2</sub>-equivalent to be achieved under the first commitment period of the Kyoto Protocol.<sup>2</sup>

However, phasing out of these potent ODS has resulted in increasing demand for several high global warming gases, including gases regulated under the Kyoto Protocol.<sup>3</sup> For example, the demand for HFC-134a, a primary alternative for CFC in new refrigeration and air-conditioning applications, was more than 133,000 MT in 2002<sup>4</sup> and could exceed 400,000 Mt by 2015.<sup>5</sup> In the short term, replacing CFCs, which have significant higher global warming values than HFCs, resulted in significant climate benefits as mentioned above. With continuing growth in the demand for refrigeration and air-conditioning equipment particularly in developing countries, however, continuing dependence on HFCs could eventually pose a significant burden to the climate in the long run.

The ozone and climate communities recognize the linkage between their efforts in protecting the ozone layer and the climate. Increasing efforts have been asserted in order to ensure synergy between the two associated global conventions. When the Parties of the Montreal Protocol decided in 2007 to accelerate the phase-out of HCFCs,<sup>6</sup> it was

<sup>1</sup> 2007 Consolidated Progress Report, Multilateral Fund Secretariat, July 2008.

<sup>2</sup> Velder and al. 2007. The Importance of the Montreal Protocol in Protecting Climate, Vol 104. PNAS,

<sup>3</sup> Emissions of greenhouses regulated under the first commitment period of the Kyoto Protocol (2008-2012) are CO<sub>2</sub>, CH<sub>4</sub>, N<sub>2</sub>O, HFCs, PFCs and SF<sub>6</sub>.

<sup>4</sup> Consumption of HCFCs grew at an average growth rate of more than 20% a year from 1995 – 2001. Consumption continues to grow at almost the same rate from 2002 – 2007.

<sup>5</sup> IPCC/TEAP Special Report: Safeguarding the Ozone Layer and the Global Climate System Chapter 11

<sup>6</sup> HCFCs are controlled by the Protocol since 1994 as “Annex C” substances. In 2007, the Parties of the Montreal Protocol negotiated an accelerated schedule of phase-out by ten years for all Parties for HCFCs. Developing countries have agreed to phase-out HCFCs by 2030.

recognized that selection of alternative technologies for HCFCs should take into consideration climate impact and benefits. However, the accelerated phase-out of HCFCs could result in an unintentional growth of HFC demand as was the case for CFC phase-out; therefore, efforts should be made to ensure that more consideration be given to low GWP alternatives despite the fact that some alternatives will require higher investment capital.<sup>7</sup>

Under the current regulatory frameworks, neither the Montreal Protocol nor the Kyoto Protocol is systematically covering the costs associated with a transition to low GWP technologies. The Kyoto Protocol is covering the mitigation of emissions, while the concern will be at the production and consumption levels. The Montreal Protocol has proven to be an effective instrument to deal with phasing out of ODS at the production and consumption levels; however, HFCs, which are primarily used to replace ODS in the air-conditioning sector, are regulated under the Kyoto Protocol, a protocol that has demonstrated, through the Clean Development Mechanism, the effectiveness of market instruments to leverage funding for technology transfer in developing countries.<sup>8</sup> Elements from both conventions can therefore be analyzed and compared to preempt an increase in the demand for HFCs or high GWP gases.

## OBJECTIVES

The objective of this study is to explore options for preempting an increase in the demand for HFCs or any other high global warming gases as a result of HCFC phase-out in developing countries. The study will review and examine potential mechanisms available for financing the transition to low GWP alternatives, including a scheduled phase-down of HFCs in developing countries and transition economies. This study will focus on direct emissions of chemicals; however, it recognizes that actions to reduce indirect emissions, such as energy efficiency improvement, can have a significantly higher impact than focusing strictly on chemical use.<sup>9</sup> Therefore, the proposed study will also address technologies limitations and the tradeoff between energy efficiency gains and low GWP gases in order to maximize overall energy benefits.

## HCFCs PHASE-OUT SCHEDULE OF THE MONTREAL PROTOCOL

As per Article 7 data reporting requirements under the Montreal Protocol, the total consumption of HCFCs of all developing country Parties in 2006, mainly HCFC-141b, HCFC-142b, and HCFC-22, is approximately 352,000 MT. Consumption of other HCFCs (for example, HCFC-123) represents only a small fraction of the HCFC

<sup>7</sup> Use of certain low alternatives may result in higher capital due to toxicity and/or flammability of product and the necessity to ensure that manufacturing facilities, production and servicing personnel are trained and equipped with appropriate safety equipment.

<sup>8</sup> The State and Trends of the Carbon Market 2008, World Bank, 2008 reported a cumulative committed investment to CDM projects activities over 2002-2007 of about US\$59 billion, for an average leverage ratio of 3.8.

<sup>9</sup> I IPCC/TEAP Special Report: Safeguarding the Ozone Layer and the Global Climate System Chapter 11.


consumption of most developing countries. It is expected that consumption of HCFCs would continue to grow if there were no Montreal Protocol obligations, as demand for refrigeration and air-conditioning, and better insulation in developing countries is growing at a rapid pace. Based on the aggregate HCFCs consumption trends of developing countries in previous years, a growth rate of 9-10% per annum could be expected. By applying a 9% growth rate to the demand for each type of HCFCs, the total demand for HCFCs in developing countries could reach a level of as much as 2.78 million tons in 2030. The breakdown of projected HCFC demand in 2030 is shown in Table 1.

Table 1. Demand for HCFCs Under Business-as-Usual Scenario in Developing Countries (in MT)

<b>HCFC/Year</b>	<b>2010</b>	<b>2015</b>	<b>2020</b>	<b>2025</b>	<b>2030</b>
HCFC-141b	171,445	242,008	372,360	572,921	881,510
HCFC-142b	45,070	63,620	97,887	150,611	231,734
HCFC-22	324,594	458,191	704,983	1,084,704	1,668,951
<b>Total</b>	<b>541,108</b>	<b>763,818</b>	<b>1,175,229</b>	<b>1,808,236</b>	<b>2,782,195</b>

Actual demand for HCFCs is expected to be much lower than the business-as-usual scenario, as the Montreal Protocol requires Article 5 countries to freeze HCFC consumption by 2013, followed by interim reduction steps leading to a complete phase-out by 2030, excepting a small quantity for meeting the servicing tail up to 2040.


Fig. 1. HCFC Allowance Production and Consumption Schedule in Developing Countries



With the accelerated HCFC phase-out schedule of the Montreal Protocol, a total HCFC consumption of 21 million MT could be avoided during the period 2013-2030.<sup>10</sup> This avoided consumption would result in early introduction of alternatives. Climate impacts

<sup>10</sup> For illustration purposes, it is assumed that the same demand growth for the BAU scenario and the same reduction schedule are applied to each HCFC.

or benefits are, therefore, dependent on the choices of alternatives to be adopted by Parties to the Montreal Protocol.

Fig. 2 Estimated consumption of HCFCs and alternatives for 2013-2030

If the avoided consumption (the red area in Fig. 2) is replaced by low GWP alternatives, the total climate benefits from the accelerated HCFC phase-out schedule (excluding impacts from improved or inferior energy efficiency performances) could be as high as 30.5 Gt of CO<sub>2</sub> equivalent by 2030.<sup>11</sup> As early phase-out of HCFC-22 also results in avoided production of byproduct HFC-23, the accelerated HCFC phase-out schedule contributes therefore to additional indirect emission reductions of 5.6 Gt of CO<sub>2</sub> equivalent associated with avoided production of HFC-23.<sup>12</sup>

### **NON-HCFC ALTERNATIVES**

Major applications of HCFC-22, HCFC-141b, and HCFC-142b in developing countries are in the refrigeration, air-conditioning, and foam sectors. Alternatives to these HCFC applications include HFCs, which have high global warming potential values, and hydrocarbons (HC), CO<sub>2</sub> and ammonia, which have lower GWP values. Currently available non-HCFC alternatives for various applications are summarized in Appendix 1.

Selection of alternatives depends on the desired product quality and safety. For example, hydrocarbons, which are flammable, may not be desirable for certain applications. Certain alternatives may also compromise product quality (such as insulation performance of insulation foam products).

<sup>11</sup> Assuming that HCFCs are replaced by only low GWP alternatives.

<sup>12</sup> Assuming 3% byproduct HFC-23 in the HCFC-22 production, refer to HCFC Phase-out under the Montreal Protocol - Introductory Note on a Programmatic Approach, Montreal Protocol Operations, World Bank, 2008

**CLIMATE IMPACT OF HCFC PHASE-OUT**

The ozone depleting substances (HCFCs) are also high global warming gases, the phase-out of these chemicals presents an opportunity to maximize climate benefits, including energy efficiency gains and uses of low GWP alternatives. Alternatives currently available for replacing HCFCs consist of high global warming gases such as HFCs, low GWP gases such as hydrocarbons, CO<sub>2</sub> and ammonia.

Selection of these substances would have to take into account a number of factors ranging from desired product qualities, flammability, toxicity, and associated costs of using such alternatives, including energy consumption and servicing aspects.

In terms of climate benefits, the selection of alternative gases, should not only focus on low GWP of alternatives, but should also cover energy efficiency benefits that could be gained over the lifetime of the equipment. This is particularly true for the foam products, air-conditioning and refrigeration equipment that are generally made with a small quantity of HCFCs, but are characterized by long product lifetime. Alternatives could be categorized according their energy efficiency potential and GWP of the products (refer to appendix 2).

**ADDITIONALITY OF CLIMATE BENEFITS ASSOCIATED WITH ACCELERATED HCFC PHASEOUT**

To meet the accelerated HCFC phase-out schedule stipulated by the Montreal Protocol, major policies and actions must be undertaken to minimize the current demand of HCFCs and future dependence on HFCs. Restricting manufacturing of new HCFC-based equipment is also another important measure to avoid the build-up of HCFC demand for servicing this equipment in the future. Restricting production of new HCFC-based equipment and products could be applied to existing manufacturers or manufacturing capacity by providing them with incentives for early conversion. Establishment of new manufacturing capacity based on HCFC technologies should also be prohibited.

Recovery, recycling and reuse of HCFCs, particularly HCFC-22 which represents more than 80% of the total consumption in most developing countries, would assist countries to meet their Montreal Protocol obligations. Since the Montreal Protocol defines consumption as production plus import and minus export, recycled HCFC-22 would replace the need for production and/or import of virgin HCFC-22 which in turn assists countries in meeting their consumption limit.

Replacement of HCFC-based equipment would also contribute to significant reduction in HCFC demand. Given that HCFC-based equipment or products (e.g., air-conditioning equipment, insulation foams, and etc.) have a long product life, early replacement of these items could be costly and not financially viable. Based on experience from CFC phase-out, early replacement of HCFC-based equipment or products could be viable

when new products are more energy (and resource) efficient. As there have been a number of projects addressing this issue, this option will not be addressed in this proposed study.

As pointed out earlier, replacement of HCFCs in most applications could be done via both low and high GWP alternatives. In most cases, applications of low GWP technologies in the foam and refrigeration sectors could result in lower product costs. However, because of related toxicity and/or flammability issues of these low GWP alternatives, higher capital investments are required to ensure that manufacturing facilities, production and servicing personnel are trained and equipped with necessary safety equipment. Conversion costs could be prohibitive, particularly for small-and-medium scale enterprises.

The CFC phase-out experience clearly demonstrates that while cyclopentane is available as a foam blowing agent, all small-and-medium scale enterprises opt for HCFC-141b as initial investments are much lower. Hence, the preferred choice for phasing out of HCFC in the foam sector for small-and-medium scale enterprises could as well be HFCs, rather than cyclopentane. Common HFCs for foam blowing applications include HFC-134a, HFC-152a, HFC-245fa, HFC-365mc, and HFC-227ea. These chemicals have GWP many times higher than hydrocarbon alternatives (with GWP of less than 25) (Appendix 3).

Similarly, HCFC-22 refrigerant in the refrigeration and air-conditioning applications could be replaced by either low or high GWP refrigerants (i.e., hydrocarbons, ammonia, carbon dioxide, and HFCs). For developing countries in particular where the demand of residential air-conditioners is rapidly increasing, selection of appropriate alternatives to HCFC-22 refrigerant would render significant climate benefits. Currently, HFC-410A, which has a high GWP value, seems to be an alternative of choice. Extensive research and development has been put in place to improve energy efficiency of new HFC-410A residential air-conditioners. Providing that similar energy efficiency could be achieved by hydrocarbon technology, replacing HCFC-22 with hydrocarbon refrigerant could contribute additional benefits to the climate since GWP of hydrocarbon refrigerant are more than 100 times lower than HFC-410A. However, safety concerns on the flammability of hydrocarbons could prevent a large-scale adoption of this technology. Extensive training of production and servicing personnel may be required in order to employ this technology safely. More awareness for end-users is also equally important in order to educate consumers of the safe use of these products.

Recovery and recycling of HCFC-22 during servicing and maintenance of refrigeration and air-conditioning equipment is considered as an eligible activity for funding from the Multilateral Fund. Thus far, the Multilateral Fund has allocated significant resources to support establishment of recovery and recycling networks in almost all developing country Parties of the Montreal Protocol. In addition, training on better containment (reducing leak, recovery and recycling, and reuse) has also been one of the core activities funded by the Multilateral Fund.

Experience from CFC recovery and recycling, thus far, is not encouraging. Implementation of recovery and recycling practice is more desirable financially when servicing equipment with a large refrigerant charge size. For example, recovery and recycling of refrigerants in large industrial and commercial refrigeration systems and in large chillers are common. However, recovery and recycling of CFCs from mobile air-conditioning equipment and domestic refrigerators have not shown a similar success as the price of CFCs and the quantity of CFCs that could be recovered from each unit are low.

It is expected that the economic of recovery and recycling HCFC-22 from residential air-conditioning units would probably be similar to recovery and recycling of CFCs from mobile air-conditioning equipment and domestic refrigerators. A combination of the low price of HCFC-22 and a small charge size of HCFC-22 in each piece of equipment, and high transaction costs to implement recovery and recycling HCFC-22, makes the recovery and recycling practice less financial attractive to most service technicians.

Potential climate benefits of recovery and recycling HCFC-22 warrants further consideration as it leads to a lower requirement for production of virgin HCFC-22. Excluding the direct GWP associated with HCFC-22, recovery and recycling of one MT of HCFC-22 reduces emission of 30 kg of byproduct HFC-23 from production of one MT of virgin HCFC-22 or about 420 MT of CO<sub>2</sub> equivalent. This significant climate benefits render opportunity to mobilize additional resources to lower high transaction costs of implementing the recovery and recycling practice experienced by service technicians.

### **PROPOSED STUDY**

As indicated above, HCFC phase-out could result in an increased use of HFCs . In order to maximize benefits of both ozone layer protection and climate protection, a synchronized strategy for managing the use of HCFCs and phasing-down HFCs could assist Parties to the Montreal Protocol to develop a conducive environment for climate friendly technologies. This would also assist industries in developing countries to avoid two-steps conversion to low GWP technologies (from HCFC to HFC and to low GWP alternatives). To support market penetration of low GWP technologies, financial incentives within and outside the Multilateral Fund should be considered in order to offset higher costs, if any, of adoption of low GWP technologies. In addition, consumption and production of HFCs including those produced as byproducts of other chemical processes will also be considered.

Since all Parties to the Montreal Protocol are now in the process of developing their HCFC phase-out strategies, it is an opportune time for Parties to also consider their HFC strategy as part of their response to the call for more consideration of other environmental benefits, particularly the climate benefits, when phasing out HCFCs. Based on the business-as-usual scenario, it is obvious that the need for HFCs equipment or products (e.g., air-conditioning and insulation foam products) will continue to grow in spite of the HCFC phase-out schedule under the Montreal Protocol. Hence, to minimize the growth of HFCs the choice of technologies to be made by existing manufacturing facilities of

those products currently produced with or containing HCFCs not only has to be considered, but also the choice of technologies for facilities to be established in the future in order to meet the demand of these products.

### **OBJECTIVES OF THE STUDY**

While HCFC phase-out renders two climate benefit opportunities: (i) improved energy efficiency; and (ii) use of lower GWP chemicals, the proposed study will focus on resource mobilization to support the latter, but will address technologies limitations and tradeoff between energy efficiency gains and low GWP gases.

The study will focus on resource mobilization to support projects aiming at reducing use of HFCs<sup>13</sup> as a result of HCFCs phase-out and reducing HFCs as a byproduct from HCFC production.

### **SCOPE OF THE STUDY**

The study will investigate: (i) review of tradeoff between energy efficiency gains and low GWP gases; (ii) costs and barriers associated with conversion of HCFC technology with to low GWP alternatives; (iii) volume of HFCs and equivalent in carbon dioxide equivalent associated with the consumption and production in developing countries and transition economies including those produced as byproducts of other chemical processes; and (iv) potential funding resources (e.g., Multilateral Fund, Carbon Market, Carbon Partnership Funds, Clean Technology Fund, and etc.) to support adoption of better HCFC containment practice, and climate friendly technologies (v) recommendations (or development of a) for a funding methodologies such as approaches to evaluate and setting the baseline consumption and production of HFCs, etc. In addition, the study will investigate effective modalities for implementing these activities in order to ensure seamless synergy between the MLF funded activities and activities funded by resources outside the MLF.

Based on experience from CFC phase-out, it is anticipated that HCFC phase-out will involve a large number of beneficiaries. Moreover, HCFC phase-out strategies and HFC strategies may require not only investment and technical assistance activities but also a combination of policy and timely investment interventions to ensure cost-effective means of achieving the targets. Experiences from implementation of CFC phase-out activities in the last two decades clearly demonstrate effectiveness of sectoral or national approaches whereby policy and investment activities are carried out in chronology. Similarly, the climate community also recognizes the need to scale up its CDM activities. Recently, a program of activity approach has been adopted by the CDM Board.

There are some similarities between the sectoral or national approaches under the Multilateral Fund and the CDM program of activity approach. The study will review these different approaches and offer recommendations to synchronize implementation

---

<sup>13</sup> It includes HFCs used as a result of CFC phaseout and possibly HCFC phase-out. For example, the study will explore financing opportunities for replacing HFC-134a MACs with low GWP alternatives.

modalities as well as to synchronize, to the extent possible, monitoring and verification procedures that may be required by the MLF mechanism, CDM mechanism, and other potential funding mechanisms.

**STUDY APPROACH**

The study will entail a desk review of the on-going study on HCFC alternatives and their climate benefits being conducted by UNEP TEAP under the auspices of the Montreal Protocol, the cost study being carried out by the Multilateral Fund, all applicable CDM methodologies, proposed approaches under negotiations by the climate community, funding mechanisms outside UNFCCC and MP such as the Clean Technology Carbon Partnership Funds, Clean Technology Fund and others. Findings of the desk review will lead to recommendations or development of a funding methodologies for potential funding sources. The study will also include workshops to inform developing countries of findings of the study, which will lead to identification of potential pilot projects in a few developing countries.

**TIMEFRAME**

Detailed terms of reference for this study will be submitted for the consideration of the Executive Committee at its 58<sup>th</sup> Meeting in July 2009. The study will then take about 12 months to complete. The final report of the study will be submitted to the ExCom at its 62<sup>nd</sup> Meeting in November 2010.

### Appendix 1: Non-HCFC Alternative Matrix

Sector	Sub-sector	HCFCs Currently Used	Alternative Options
Foam	XPS	HCFC 22/HCFC 142b (blends), HCFC 22, HCFC 142b	CO <sub>2</sub> , CO <sub>2</sub> /Ethanol, CO <sub>2</sub> /HCs; HFC 134a
	Polyurethane Spray	HCFC 141b, minor use of HCFC 141b/HCFC 22	HFC, CO <sub>2</sub> (CO <sub>2</sub> not preferred option if superior thermal insulation performance is required.)
	Domestic refrigerators/freezers	HCFC 141b, minor use of HCFC 141b/HCFC 22	HFC, HC (Small enterprises use HFCs)
	Commercial refrigerators/freezers	HCFC 141b	HFC, HC, CO <sub>2</sub> (Adhesion problem with CO <sub>2</sub> )
	Sandwitch panels - continuous	HCFC 141b	HFC, HC
	Sandwitch panels - discontinuous	HCFC 141b	HFC, HC
	Insulated pipes	HCFC 141b	HFC, HC
Refrigeration	Integral skin foams	HCFC 141b	HFC 134a, CO <sub>2</sub> , HC
	Supermarket refrigerators	HCFC 22	R-404A, CO <sub>2</sub> , HCs and Ammonia (R-717)
	Industrial refrigeration	HCFC 22	R-717, CO <sub>2</sub>
Air-conditioning	Transport refrigeration	HCFC 22	HFC 134a, R-404A, R-410A
	Air-conditioning	HCFC 22	R-410A, HCs, CO <sub>2</sub>
	Water -heating heat pumps	HCFC 22	HFC 134a, R-410A, CO <sub>2</sub>
	Chillers	HCFC 22	HFC 134a

Source: OORG Presentations, OORG Meeting, October 2008, Washington DC

Note: R-404A and R-410A are HFC blends.

## **Appendix 2: Selection of HCFC's Alternatives and Climate Considerations**

In terms of climate benefits, it could be described that the available alternatives in the consumption sector can be categorized according to Figure 3. These four regions represent:

- Region I – Low GWP alternatives with improved energy and resource efficiency or thermal insulation property of the final products;
- Region II – High GWP alternatives with improved energy and resource efficiency or thermal insulation property of the final products;
- Region III – Low GWP alternatives with inferior energy and resource efficiency or thermal insulation property of the final products when compared with HCFC products;
- Region IV – High GWP alternatives with inferior energy and resource efficiency or thermal insulation property of the final products when compared with HCFC products.




Fig. 3 Characteristics of Non-HCFC Alternatives

Foam products, air-conditioning and refrigeration equipment, are made with a small quantity of HCFCs. However, they have a long product lifetime. Therefore, any alternatives of HCFCs that fall in Regions III and IV are not desirable. For example, replacing HCFCs with low GWP alternatives (Region III) but resulting in low energy efficiency or insulation property, could result in higher energy consumption during the lifetime of these products. Emissions of carbon dioxide during the lifetime of the products normally are many times higher than the difference between the GWP values of HCFCs and alternatives used for manufacturing or maintaining these products. Alternatives in Region IV are even less desirable.

**Appendix 3: GWP of HCFCs and HFC alternatives<sup>14</sup>**

Substance	GWP
HCFC-22	1,700
HCFC-141b	630
HCFC-142b	2,000
HFC-134a	1,300
HFC-152a	140
HFC-245fa	820
HFC-365mc	840
HFC-227ea	2,900
HFC-23	14800
R-410A (HFC Blends)	2,100
R-404A (HFC Blends)	3,900
R-407C (HFC Blends)	1,800

*Note: R-404A, R-407C, and R-410A are HFC blends*

---

<sup>14</sup> 2006 UNEP Technical Options Committee Refrigeration, A/C and Heat Pump Assessment Report

**Appendix 4: Preparation Cost Breakdown**

<b>Element</b>	<b>Description</b>	<b>US\$</b>
Potential Volume of Carbon Dioxide Equivalent Emission Reduction	Review of current HCFC applications and available non-HCFC alternatives; market analysis on penetration of various alternatives (high and low GWP) and estimates on benefits from improved energy and resource performance (taking into account ongoing work of TEAP and OORG)	35,000
Barriers Associated with Conversion of HCFC Technology with Baseline Energy and Resource Efficiency to Low GWP Alternatives with Improved Energy and Resource Efficiency	Industrial survey in a selected number of Article 5 countries and Article 2 countries that are major technology providers for each HCFC application	50,000
Consumption and Production of HCFCs	Industrial survey focusing on chemical producers in both Article 5 and non-Article 5 countries; market analysis to project trends	10,000
Potential Funding Resources	Review of existing activities or projects funded by various funding mechanisms; review existing CDM and non-CDM methodologies; interview with prospective beneficiaries in Article 5 countries; identification of potential sources of financing; development of approaches and project model for securing such resources	55,000
Development of Funding Criteria/Standards/Methodologies	Development of tools for capturing co-financing resources outside the MLF	70,000
Stakeholder Consultation Meetings	3 consultation meetings	30,000
<b>Total</b>		<b>250,000</b>